

平成19年度研究業績(論文)

論文発表(計130件)

(1)査読付論文(計98報)

1. K. Omura, N. Kiyosawa, T. Uehara, M. Hirode, T. Shimizu, T.Miyagishima, A. Ono, T. Nagao, T. Urushidani. Gene Expression Profiling of Rat Liver Treated with Serum Triglyceride-Decreasing Compounds. *J. Toxicol. Sci.* 32: 387-399, 2007.
2. N. Kiyosawa, T. Uehara, W. Gao, K. Omura, M. Hirode, T. Shimizu, Y. Mizukawa, A. Ono, T. Miyagishima, T. Nagao, T.Urushidani. Identification of Glutathione Depletion-Responsive Genes Using Phorone-Treated Rat Liver. *J. Toxicol. Sci.* 32:469-486, 2007
3. T. Uehara, N. Kiyosawa, M. Hirode, K. Omura, T. Shimizu, A.Ono, Y. Mizukawa, T.Miyagishima, T.Nagao, T. Urushidani. Gene Expression Profiling of Methapyrilene-Induced Hepatotoxicity in Rat. *J. Toxicol. Sci.* 33 : 37-50, 2008
4. Kamada H., Okamoto T., Kawamura M., Shibata H., Abe Y., Ohkawa A., Nomura T., Sato M., Mukai Y., Sugita T., Imai S., Nagano K., Tsutsumi Y., Nakagawa S., Mayumi T., Tsunoda S. : Creation of novel cell-penetrating peptides for intracellular drug delivery using systematic phage display technology originated from Tat transduction domain., *Biol. Pharm. Bull.*, 30(2):218-223, 2007.
5. Gao J.Q., Kanagawa N., Motomura Y., Yanagawa T., Sugita T., Hatanaka Y., Tani Y., Mizuguchi H., Tsutsumi Y., Mayumi T., Okada N., Nakagawa S. : Cotransduction of CCL27 gene can improve the efficacy and safety of IL-12 gene therapy for cancer., *Gene Ther.*, 14(6):491-502, 2007.
6. Hayashi A., Wakita H., Yoshikawa T., Nakanishi T., Tsutsumi Y., Mayumi T., Mukai Y., Yoshioka Y., Okada N., Nakagawa S. : A strategy for efficient cross-presentation of CTL-epitope peptides leading to enhanced induction of in vivo tumor immunity., *J. Control. Release.*, 117(1):11-19 2007.
7. Tanimoto T., Yamamoto S., Taniai M., Taniguchi M., Ariyasu H., Ushio C., Aga M., Mukai Y., Tsutsumi Y., Ariyasu T., Ohta T. and Fukuda S. : The combination of IFN- α 2 and IFN- α 8 exhibits synergistic antiproliferative activity on renal cell carcinoma (RCC) cell lines through increased binding affinity for IFNAR-2., *Interferon Cytokine Res.*, 27(6):517-523, 2007.
8. Shibata H., Kamada H., Nishibata K., Yoshioka Y., Nishibata T., Abe Y., Nomura T., Nabeshi H., Minowa K., Mukai Y., Nakagawa S., Mayumi T., Tsunoda S., Tsutsumi Y. : Role of amino acid residue 90 in bioactivity and receptor binding capacity of tumor necrosis factor mutants., *BBA - Proteins and Proteomics.*, 1774(8):1029-1035, 2007.
9. Gao J.Q., Eto Y., Yoshioka Y., Sekiguchi F., Kurachi S., Morishige T., Yao X., Watanabe H., Asavatanabodee R., Sakurai F., Mizuguchi H., Okada Y., Mukai Y., Tsutsumi Y., Mayumi T., Okada N., Nakagawa S. : Systemic Administration of PEGylated Adenovirus Vector Enhances Vector Accumulation and Gene Expression in Tumors and Improves Anti-tumor Effects in Cytokine Gene Therapy., *J. Control. Release*, 122(1):102-110, 2007.
10. Nomura T., Kawamura M., Shibata H., Abe Y., Ohkawa A., Mukai Y., Sugita T., Imai S., Nagano K., Okamoto T., Tsutsumi Y., Kamada H., Nakagawa S., Tsunoda S. : Creation of novel cell penetrating peptide, using random 18mer peptides library., *Pharmazie*, 62(8):569-573, 2007
11. Sugita T., Yoshikawa T., Mukai Y., Yamanada N., Yamato T., Imai S., Nagano K., Yoshida Y., Shibata H., Yoshioka Y., Nakagawa S., Kamada H., Tsunoda S., Tsutsumi Y.: Improved cytosolic translocation and tumor-killing activity of Tat-shepherdin conjugates mediated by co-treatment with Tat-fused membrane-disruptive HA2 peptide., *Biochem. Biophys. Res. Commun.*, 363:1027-1032, 2007.
12. Shibata H., Yoshioka Y., Ohkawa A., Minowa K., Mukai Y., Abe Y., Taniai M., Nomura T., Kayamuro H., Nabeshi H., Sugita T., Imai S., Nagano K., Yoshikawa T., Fujita T., Nakagawa S., Yamamoto A., Ohta T., Hayakawa T., Mayumi T., Vandeenabeele P., Aggarwal BB., Nakamura T., Yamagata Y., Tsunoda S., Kamada H., Tsutsumi Y. : Creation and X-ray structure analysis of the tumor necrosis factor receptor-1-selective mutant of a tumor necrosis factor-alpha antagonist., *J. Biol. Chem.*, 283:998-1007, 2008

13. Takahashi A., Komiya E., Kakutani H., Yoshida T., Fujii M., Horiguchi Y., Mizuguchi H., Tsutsumi Y., Tsunoda S., Koizumi N., Isoda K., Yagi K., Watanabe Y., Kondoh M. : Domain mapping of a claudin-4 modulator, the C-terminal region of C-terminal fragment of clostridium perfringens enterotoxin, by site-directed mutagenesis., *Biochem. Pharm.*, 75:1639-1648, 2008
14. Sjström M, Stenström K, Eneling K, Zwilley J, Katz AI, Takemori H, Bertorello AM. SIK1 is part of a cell sodium-sensing network that regulates active sodium transport through a calcium-dependent process. *Proc Natl Acad Sci U S A* 2007; 104:16922-7
15. Berdeaux R, Goebel N, Banaszynski L, Takemori H, Wandless T, Shelton D, Montminy M. SIK1 is a class II HDAC kinase that promotes survival of skeletal myocytes. *Nat Med.* 2007; 13:597-603.
16. Takemori H, Okamoto M. Regulation of CREB-mediated gene expression by salt inducible kinase. *J Steroid Biochem Mol Biol.* 2008; 108:287-91
17. Takemori H, Kajimura J, Okamoto M. TORC-SIK cascade regulates CREB activity through the basic leucine zipper domain. *FEBS J.* 2007; 274:3202-9
18. Vinogradov SN, Hoogewijs D, Bailly X, Mizuguchi K, Dewilde S, Moens L, Vanfleteren JR. A model of globin evolution. *Gene* 2007; 398:132-42.
19. Lyne, R., Smith, R., Rutherford, K., Wakeling, M., Varley, A., Guillier, F., Janssens, H., Ji, W., McLaren, P., North, P., Rana, D., Riley, T., Sullivan, J., Watkins, X., Woodbridge, M., Lilley, K., Russell, S., Ashburner, A., Mizuguchi, K., Micklem, G. FlyMine: An integrated database for *Drosophila* and *Anopheles* genomics. *Genome Biology.* 2007; 8(7):R129.
20. Mokrab, Y., Bavro, V.N., Mizuguchi, K., Todorov, N.P., Martin, I.L., Dunn, S.M.J., Chan, S.L. and Chau, P.-L. Exploring Ligand Recognition and Ion Flow in Comparative Models of the Human GABA Type A Receptor. *J Mol Graph.* 2007; 26(4):760-74.
21. Singh R., Ali Dar T., Ahmad S., Moosavi-Movahedi A.A., Ahmad F., A new method for determining the constant-pressure heat capacity change associated with the protein denaturation induced by guanidinium chloride (or urea). *Biophys Chem.* 2008 Mar;133(1-3):81-9
22. Wang J.Y., Lee H.M., Ahmad S.. SVM-Cabins: prediction of solvent accessibility using accumulation cutoff set and support vector machine. *Proteins.* 2007 Jul 1;68(1):82-91
23. Okamoto, S., H. Yoshii, T. Akagi, M. Akashi, T. Ishikawa, Y. Okuno, M. Takahashi, K. Yamanishi, and Y. Mori. 2007. Influenza hemagglutinin vaccine with poly(gamma-glutamic acid) nanoparticles enhances the protection against influenza virus infection through both humoral and cell-mediated immunity. *Vaccine* 25:8270-8.
24. Sadaoka, T., H. Yoshii, T. Imazawa, K. Yamanishi, and Y. Mori. 2007. Deletion in open reading frame 49 of varicella-zoster virus reduces virus growth in human malignant melanoma cells but not in human embryonic fibroblasts. *J Virol* 81:12654-65.
25. Somboonthum, P., H. Yoshii, S. Okamoto, M. Koike, Y. Gomi, Y. Uchiyama, M. Takahashi, K. Yamanishi, and Y. Mori. 2007. Generation of a recombinant Oka varicella vaccine expressing mumps virus hemagglutinin-neuraminidase protein as a polyvalent live vaccine. *Vaccine* 25:8741-55.
26. Tadagaki, K., K. Yamanishi, and Y. Mori. 2007. Reciprocal roles of cellular chemokine receptors and human herpesvirus 7-encoded chemokine receptors, U12 and U51. *J Gen Virol* 88:1423-8.
27. Takemoto, M., K. Yamanishi, and Y. Mori. 2007. Human herpesvirus 7 infection increases the expression levels of CD46 and CD59 in target cells. *J Gen Virol* 88:1415-22.
28. Koshizuka, T., Y. Kawaguchi, N. Nozawa, I. Mori, and Y. Nishiyama. 2007. Herpes simplex virus protein UL11 but not UL51 is associated with lipid rafts. *Virus Genes* 35:571-5.
29. Wies, E., Y. Mori, A. Hahn, E. Kremmer, M. Sturzl, B. Fleckenstein, and F. Neipel. 2008. The viral interferon-regulatory factor-3 is required for the survival of KSHV-infected primary effusion lymphoma cells. *Blood* 111:320-7.
30. Yoshii, H., P. Somboonthum, M. Takahashi, K. Yamanishi, and Y. Mori. 2007. Cloning of full length genome of varicella-zoster virus vaccine strain into a bacterial artificial chromosome and reconstitution of infectious virus. *Vaccine* 25:5006-12.
31. Okamoto, S., H. Yoshii, T. Ishikawa, T. Akagi, M. Akashi, M. Takahashi, K. Yamanishi, and Y. Mori. 2008. Single dose of inactivated Japanese encephalitis vaccine with poly(gamma-glutamic acid) nanoparticles provides effective protection from Japanese encephalitis virus. *Vaccine* 26:589-94.

32. Yamagishi, Y., T. Sadaoka, H. Yoshii, P. Somboonthum, T. Imazawa, K. Nagaike, K. Ozono, K. Yamanishi, and Y. Mori. 2008. Varicella-zoster virus glycoprotein M homolog is glycosylated, is expressed on the viral envelope, and functions in virus cell-to-cell spread. *J Virol* 82:795-804.
33. A Kimura, T Naka, and T Kishimoto IL-6 dependent and independent pathways in the development of interleukin 17-producing T helper cells. *Proc. Natl. Acad. Sci. USA.* 104. 12099-12104, 2007.
34. P He, T Naka, S Serada, M Fujimoto, T Tanaka, S Hashimoto, Y Shima, T Yamadori, H Suzuki, T Hirashima, K Matsui, H Shiono, M Okumura, I Tachibana, M Mochizuki, N Norioka, S Norioka, I Kawase. Proteomics-based identification of α -enolase as a tumor antigen in non-small lung cancer. *Cancer Science*, 98, 1234-1240, 2007.
35. A Yoshimura, T Naka, M Kubo, SOCS proteins, cytokine signaling and immune regulation. *Nature Review Immunology* 7, 454-465, 2007.
36. E Seki, Y Kondo, Y Iimuro, T Naka, G Son, T Kishimoto, J Fujimoto, H Tsutsui, K Nakanishi Cooperative contribution of MET- and EGFR-mediated STAT3 phosphorylation to liver regeneration following partial hepatectomy in mice. *Journal of Hepatology* 48:237-245 2008.
37. T Nishikawa, K Hagiwara, T Isobe, A Matsumura, J Song, T Tanaka, I Kawase, T Naka, K Yoshizak Transcriptional Complex Formation of c-Fos, STAT3, and HNF-1 α is Essential for the Cytokine-driven CRP Gene Expression. *J Immunol.* 180. 3492-3501, 2008.
38. T Nakashima, A Yokoyama, A Nakashima, Y Onari, H Shoda, Yoshinori Haruta, N Hattori, T Naka, N Kohno. Suppressor of cytokine signaling1 inhibits pulmonary inflammation and fibrosis. *Clin Exp Allergy.* 37. 735-742, 2007.
39. H Yamaguchi, J Takagi, T Miyamae, S Yokota, S Oshima, T Naka, S Nagata. Human Milk Fat Globule EGF Factor 8 in the serum of human patients with systemic lupus erythematosus. *J Leukocyte biology.* 83.1300-1307. 2008.
40. Kurachi S., Tashiro K., Sakurai F., Sakurai H., Kawabata K., Yayama K., Okamoto H., Nakagawa S., Hayakawa T., Mizuguchi H. Fiber-modified adenovirus vectors containing the TAT peptide derived from human immunodeficiency virus in the fiber knob have efficient gene transfer activity. *Gene Ther.*, 14, 1160-1165 (2007)
41. Murakami S.*, Sakurai F.*, Kawabata K., Okada N., Fujita T., Yamamoto A., Hayakawa T., Mizuguchi H. The crucial role of penton base RGD motifs in adenovirus serotype 35 vector-mediated transduction. *Gene Ther.*, 14, 1525-1533 (2007) (* equally contributed)
42. Kawabata K., Tashiro K., Sakurai F., Osada N., Kusuda J., Hayakawa T., Yamanishi K., Mizuguchi H. Positive and negative regulation of adenovirus infection by CAR-like soluble protein, CLSP. *Gene Ther.*, 14, 1199-1207 (2007)
43. Yamashita M., Ino A., Kawabata K., Sakurai F., Mizuguchi H. Expression of coxsackie and adenovirus receptor reduces the lung metastatic potential of murine B16 melanoma cells., *Int. J. Cancer*, 121, 1690-1696 (2007)
44. Sakurai F., Akitomo K., Kawabata K., Hayakawa T., Mizuguchi H. Downregulation of human CD46 by adenovirus serotype 35 vectors, *Gene Ther.*, 14, 912-919 (2007)
45. Yamaguchi T.*, Kawabata K.* Koizumi N., Sakurai F., Nakashima K., Sasaki T., Okada N, Mizuguchi H. Involvement of MyD88 and TLR9 in the innate immune response elicited by replication-incompetent adenovirus vectors. *Hum. Gene Ther.*, 18, 753-762 (2007) (* equally contributed)
46. Mukai E., Fujimoto S., Sakurai F., Kawabata K., Yamashita M., Inagaki N., Mizuguchi H. Efficient gene transfer into murine pancreatic islets using adenovirus vectors, *J. Control. Release.*, 119, 136-141 (2007)
47. Ebihara C., Kondoh M., Harada M., Fujii M., Mizuguchi H., Tsunoda S-I., Horiguchi Y., Yagi K., Watanabe Y. Role of Tyr306 in the C-terminal fragment of Clostridium perfringens enterotoxin for modulation of tight junction. *Biochem. Pharmacol.*, 73, 824-830 (2007)
48. Hama S., Akita H., Iida S., Mizuguchi H., Harashima H. Quantitative and mechanism-based investigation of differences in post nuclear delivery events between viral and non-viral vectors., *Nuc. Acid Res.*, 35, 1533-1543 (2007)

49. Moriuchi A., Yamasaki H., Shimamura M., Kita A., Kuwahara H., Fujishima K., Satoh T., Fukushima K., Fukushima T., Hayakawa T., Mizuguchi H., Nagayama Y., Abiru N., Kawasaki E., Eguchi K. Induction of human adiponectin gene transcription by telmisartan, angiotensin receptor blocker, independently on PPAR-gamma activation. *Biochem. Biophys. Res. Commun.*, 356, 1024-1030 (2007)
50. Xin K-Q., Sekimoto Y., Takahashi T., Mizuguchi H., Ichino M., Yoshida A., Okuda K. Chimeric adenovirus 5/35 vector containing the clade C HIV gag gene induces a cross-reactive immune response against HIV. *Vaccine*, 25, 3809-3815 (2007)
51. Gao J-Q., Kanagawa N., Motomura Y., Yanagawa T., Sugita T., Hatanaka Y., Tani Y., Mizuguchi H., Tsutsumi Y., Mayumi T., Okada N., Nakagawa S. Cotransduction of CCL27 gene can improve the efficacy and safety of IL-12 gene therapy for cancer. *Gene Ther.*, 14, 491-502 (2007)
52. Xin H., Kanehira M., Mizuguchi H., Hayakawa T., Kikuchi T., Nukiwa T., Saijo Y. Targeted-delivery of CX3CL1 to multiple lung tumors by mesenchymal stem cells. *Stem Cells*, 25, 1618-1626 (2007)
53. Sakurai F., Kawabata K., Mizuguchi H. Adenovirus vectors composed of subgroup B adenoviruses. *Curr. Gene Ther.*, 7, 229-238 (2007)
54. Someya K., Xin K-Q., Ami Y., Izumi Y., Mizuguchi H., Ohta S., Yamamoto N., Honda M., Okuda K. Chimeric adenovirus type 5/35 vector encoding SIV gag and HIV env genes affords protective immunity against the simian/human immunodeficiency virus in monkeys. *Virology*, 367, 390-397 (2007)
55. Gao J-Q., Eto Y., Yoshioka Y., Sekiguchi F., Kurachi S., Morishige T., Yao X., Watanabe H., Asavatanabodee R., Sakurai F., Mizuguchi H., Okada Y., Mukai Y., Tsutsumi Y., Mayumi T., Okada N., Nakagawa S. Effective tumor targeted gene transfer using PEGylated adenovirus vector via systemic administration. *J. Control. Release.*, 122, 102-110 (2007)
56. Yao X., Yoshioka Y., Eto Y., Morishige T., Okada Y., Mizuguchi H., Mukai Y., Okada N., Nakagawa S. TERT promoter-driven adenovirus vector for cancer gene therapy via systemic injection. *Biochem. Biophys. Res. Commun.*, 362, 419-424 (2007)
57. Kanehira M., Xin H., Hoshino K., Maemondo M., Mizuguchi H., Hayakawa T., Matsumoto K., Nakamura T., Nukiwa T., Saijo Y. Targeted delivery of NK4 to multiple lung tumors by bone marrow-derived mesenchymal stem cells. *Cancer Gene Ther.*, 14, 894-903 (2007)
58. Laroche N., Deol J., Srivastava V., Allen C., Mizuguchi H., Karpati G., Holland P., Nalbantoglu J. Down regulation of CD46 during muscle differentiation: implications for gene transfer to human skeletal muscle using group B adenoviruses. *Hum. Gene Ther.*, 19, 133-142 (2008)
59. Ono K., Satoh M., Yoshida T., Ozawa Y., Kohara A., Takeuchi M., Mizusawa H., Sawada H., Species identification of animal cells by nested PCR targeted to mitochondrial DNA, In Vitro Cell.Dev.Biol. Anim. 2007 43:168-175 (2007)
60. Takeuchi M., Takeuchi K., Kohara A., Satoh M., Shioda S., Ozawa Y., et al. Chromosomal instability in human mesenchymal stem cells immortalized with human papilloma virus E6, E7, and hTERT genes. In Vitro Cell Dev Biol Anim 2007 May 21
61. Naoki Osada. Inference of expression-dependent negative selection based on polymorphism and divergence in the human genome. *Mol. Biol. Evol.* 24: 1622-1626 (2007).
62. Yasuhiro Uno, Yutaka Suzuki, Hiroyuki Wakaguri, Yoshiko Sakamoto, Hitomi Sano, Naoki Osada, Katsuyuki Hashimoto, Sumio Sugano, Itsuro Inoue. Analysis of expressed sequence tags from liver in cynomolgus monkey (*Macaca fascicularis*): A systematic identification of drug-metabolizing genes. *Febs lett.* 582: 351-358 (2008).
63. Naoki Osada, Sumio Sugano, Yutaka Suzuki. Evolution of Gene Expression in Human and Chimpanzee Brains. In: *Encyclopedia of Life Sciences (ELS)*, John Wiley & Sons, Ltd: Chichester (2008).
64. Goedken M., McCormick S., Leidal KG., Suzuki K., Kameoka Y., Astern JM., Huang M., Cherkasov A., Nauseef WM. Impact of two novel mutations on the structure and function of human myeloperoxidase. *J Biol Chem.* 2007 Sep 21;282(38):27994-8003. Epub 2007 Jul 24.
65. Rangsiruji A., Sugiyama H., Morishima Y., Kameoka Y., Donsakul T., Binchai S., Ketudat P. A new record of *Paragonimus* other than *P. westermani* in southern Thailand. *Southeast Asian J Trop Med Public Health.* 2006;37 Suppl 3:57-61.

-
66. Takamura A, Kajimaki K, Otsuka S, Ninomiya H, Matsuda J, Ohno K, Suzuki Y, Nanba, E. Enhanced autophagy and mitochondrial aberrations in murine GM1-gangliosidosis. *Biochem Biophys Res Commun*, 367(3):616-22, 2008.
67. Fukuda Y, Ishida R, Aoki K, Nakahara K, Takashi T, Mochida K, Suzuki O, Matsuda J, Kasai M. Contribution of Translin to hematopoietic regeneration after sublethal ionizing irradiation. *Biological & Pharmaceutical Bulletin*, 31(2):207-11, 2008.
68. Suzuki Y, Ichinomiya S, Kurosawa M, Ohkubo M, Watanabe H, Iwasaki H, Matsuda J, Noguchi Y, Takimoto K, Itoh M, Tabe M, Iida M, Kubo T, Ogawa S, Nanba E, Higaki K, Ohno K, Brady R O. Chemical chaperone therapy: Clinical effect in murine GM1-gangliosidosis. *Annals of Neurology*, 2007;62(6):671-675.
69. Ichinomiya S, Watanabe H, Maruyama K, Toda H, Iwasaki H, Kurosawa M, Matsuda J, Suzuki Y: Motor and Reflex Testing in GM1-Gangliosidosis Model Mice. *Brain Dev*, May 2007;29(4):210-216.
70. 姉帶正樹, 佐藤正幸, 麥田敦之, 熊谷健夫, 柴田敏郎: 白芷の調製法と化学的品質評価 (第6報), ヨロイグサ生根の低温処理によるデンプン糖及び希エタノールエキス含量の変動, 医薬品研究, 38(11), 557-562 (2007).
71. Hidehiro Ando, Yasuaki Hirai, Mikio Fujii, Yumiko Hori, Motonori Fukumura Yujiro Niiho, Yoshijiro Nakajima, Toshiro Shibata, Kazuo Toriizuka, and Yoshiteru Ida: The chemical constituents of fresh Gentian Root, *Journal of Natural Medicines*, 61, 269-279(2007)
72. Katsuhiro Konno, Marisa Rangel, Joacir Stoltz Oliveira, Marcia Perez dos Santos Cabrera, Renato Fontana, Izaura Yoshico Hirata, Izumi Hide, Yoshihiro Nakata, Kanami Mori, Marii Kawano, Hiroyuki Fuchino, Setsuko Sekita, Joao Ruggiero Neto. Decoralin, A novel linear cationic a-helical peptide from the venom of the solitary eumenine wasp Oreumenes decoratus. *Peptides*, 28, 2320-2327 (2007)
73. Kanami Mori, Marii Kawano, Hiroyuki Fuchino, Takashi Ooi, Motoyoshi Satake, Yutaka Agatsuma, Takenori Kusumi, and Setsuko Sekita. Antileishmanial compounds from Cordia fragrantissima. *Journal of Natural Products*, 71, 18-21 (2008)
74. Yoshio Takeda, Maki Tomonari, Shihoko Arimoto, Toshiya Masuda, Hideaki Otsuka, Katsuyoshi Matsunami, Gisho Honda, Michiho Ito, Yoshihisa Takaishi, Fumiyuki Kiuchi, Olimjon K. Khodzhimatov, Ozodbek A. Ashurmetov, A new phenolic glucoside from an Uzbek medicinal plant, *Origanum tyttanthum*. *J. Natural Medicines*, 62(1), 71-74 (2008).
75. Hiroyuki Fuchino, Setsuko Sekita, Kanami Mori, Nobuo Kawahara, Motoyoshi Satake, Fumiyuki Kiuchi, A New Leishmanicidal Saponin from Brunfelsia grandiflora, *Chem. Pharm. Bull.*, 56 (1), 93-96 (2008)
76. Tanaka-Takahashi,Y., Yasunami,M., Naruse,T., Hinohara,K., Matano T., Mori,K., Miyazawa,M., Honda,M., Yasutomi,Y., Nagai,Y. and Kimura,A. Reference strand-mediated conformation analysis (RSCA)-based typing of multiple alleles in the rhesus macaque MHC class I Mamu-A and Mamu-B loci. *Electrophoresis* 2007;28:918-924.
77. Nishikubo,K., Imanaka-Yoshida,K., Tamaki,S., Hiroe,M., Yoshida,T., Adachi,Y., Yasutomi,Y. Th1-type immune responses by Toll-like receptor 4 signaling are required for the development of myocarditis in mice with BCG-induced myocarditis. *J.Autoimmun.* 2007; 29:146-153.
78. Ishii K, Iijima S, Kimura N, Lee Y-J, Ageyama N, Yagi S, Yamaguchi K, Maki N, Yoshizaki S, Machida S, Suzuki T, Iwata N, Sata T, Terao K, Miyamura T, Akari H: GBV-B as a pleiotropic virus: Distribution of GBV-B in extrahepatic tissues in vivo. *Microbes and Infection* 9, 515-521, 2007.
79. Hara M , Kikuchi T, Sata T, Nakajima N, Ami Y, Sato Y, Tanaka K, Narita T, Ono F, Akari H, Terao K, Mukai R. Detection of SRV/D shedding in body fluids of cynomolgus macaques and comparison of partial gp70 sequences in SRV/D-T isolates. *Virus Genes* 35, 281-288, 2007.
80. Yokota T, Iijima S, Kubodera T, Ishii K, Katai Y, Ageyama N, Chen Y, Lee Y-J, Unno N, Nishina K, Iwasaki Y, Maki N, Mizusawa H, Akari H: Efficient regulation of viral replication by systemically administered siRNA with cationic liposome in a non-human primate surrogate model for hepatitis C. *Biochemica. Biophys. Res. Commun.* 361, 294-300, 2007.

81. Hiyoshi M, Suzu S, Yoshidomi Y, Hassan R, Harada H, Sakashita N, Akari H, Motoyoshi K, Okada S: Interaction between Hck and HIV-1 Nef negatively regulates cell surface expression of M-CSF receptor. *Blood* 111, 243-250, 2008.
82. Okada H, Hatori M, Shimozawa N, Tsuchiya H, Kuwana T, Sankai T. Collection and culture of primordial germ cells from cynomolgus monkeys (*Macaca fascicularis*) *Reprod. Med. Biol.*, 6, 203-210, 2007
83. Shimozawa N, Okada H, Hatori M, Yoshida T, Sankai T. Comparison of follicular growth stimulation methods for collecting mature oocytes from cynomolgus and African green monkeys. *Theriogenology*, 67, 1143-1149, 2007.
84. Yamamoto M, Tase N, Okuno T, Kondo Y, Akiba S, Shimozawa N, Terao K. Monitoring of gene expression in differentiation of embryoid bodies from cynomolgus monkey embryonic stem cells in the presence of bisphenol A. *J Toxic Sci*, 32, 301-310, 2007.
85. Nomiyama H, Otsuka-Ono K, Miura R, Osada N, Terao K, Yoshie O and Kusuda J. Identification of a Novel CXCL1-Like Chemokine Gene in Macaques and its Inactivation in Hominids. *J.Interferon Cytokine Res.*, 2007, 27:32-37.
86. Yasuda T, Miyachi S, Kitagawa R, Wada K, Nihira T, Ren YR, Hirai Y, Ageyama N, Terao K, Shimada T, Takada M, Mizuno Y, Mochizuki H., Neuronal specificity of a-synuclein toxicity and effect of Parkin co-expression in primates. *Neuroscience*, 2007, 144: 743-753.
87. Kikuchi T, Hara M, Terao K. Development of a microsatellite marker set applicable to genome-wide screening of cynomolgus monkeys (*Macaca fascicularis*). *Primates*. 2007, 48: 140-146.
88. Takano JI, Narita T, Tachibana H, Terao K, Fujimoto K. Comparison of Entamoeba histolytica DNA isolated from a cynomolgus monkey with human isolates. *Parasitol Res.* 2007, 101: 539-546.
89. Kimura N, Imamura O, Ono F, Terao K. Aging attenuates dynein-dynein interaction: Down-regulation of dynein causes accumulation of endogenous tau and amyloid precursor protein in human neuroblastoma cells. *J Neurosci Res.* 2007, 85: 2909-2916.
90. Ishii K, Iijima S, Kimura N, Lee YJ, Ageyama N, Yagi S, Yamaguchi K, Maki N, Mori KI, Yoshizaki S, Machida S, Suzuki T, Iwata N, Sata T, Terao K, Miyamura T, Akari H. "GBV-B as a pleiotropic virus: distribution of GBV-B in extrahepatic tissues in vivo." *Microb. Infect.* 2007; 9: 515-521.
91. Nakamura S, Okabayashi S, Ageyama N, KoieH , Sankai T, Ono F, Fujimoto K, Terao K. Transthyretin Amyloidosis and Two Other Aging-Related Amyloidoses in an Aged Vervet Monkey. *Vet Pathol.* 2008; 45: 67-72.
92. Kimura N, Yanagisawa K. Endosomal accumulation of GM1-ganglioside-bound amyloid β -protein in neurons of aged monkey brains. *Neuroreport* 2007; 18(16): 1669-1673
93. Okabayashi S, Kimura N. Immunohistochemical and biochemical analyses of LGI3 in monkey brain: LGI3 accumulates in aged monkey brains. *Cell Mol Neurobiol* 2007; 27(6): 819-830
94. Kimura N, Ishii Y, Suzuki S, Negishi T, Kyuwa S, Yoshikawa Y. A β upregulates and colocalizes with LGI3 in cultured rat astrocytes. *Cell Mol Neurobiol* 2007; 27(3): 335-350
95. Taisei Nomura. Chapter 12. Transmissible Genetic Risk Causing Tumours in Mice and Humans. In Male-mediated Developmental Toxicity. Eds., D. Anderson and M. H. Brinkworth, pp. 134-148. Royal Society of Chemistry, Cambridge, U.K., 2007.
96. Satoru Endo, Kenichi Tanaka, Kazuo Fujikawa, Tetsuo Horiguchi, Tetsuo Itoh, Gerald Bengua, Taisei Nomura and Masaharu Hoshi. Distortion of Neutron Field during Mice Irradiation at Kinki University Reactor UTR-KINKI. *Applied Radiat. Isotope*, 65: 1037-1040, 2007.
97. R. N. Sharan, H. Ryo and T. Nomura. Critical role of RecA and RecF proteins in strand break rejoining and maintenance of fidelity of rejoining following γ -radiation-induced damage to pMTa4 DNA in *E. coli*. *Int. J. Radiat. Biol.*, 83 (2): 89-97, 2007.
98. Taisei Nomura. Transgenerational effects from exposure to environmental toxic substances. *Mutation Res. Review* 2008 (in press), March 28, 2008 On-line Published.

(2)査読なし論文等(計32報)

1. 堤 康央, 石井明子, 早川堯夫 : 第6節 機能性人工タンパク質., バイオ医薬品の品質・安全性評価, (株)エル・アイ・シー, p.369-378, 2007
2. Kamada H., Shibata H., Tsutsumi Y. : Development of new anti-TNF therapy., Inflammation and Regeneration, 27:512-515, 2007
3. 向 洋平、堤 康央、中川晋作., 細胞内薬物導入キャリアとしての細胞内移行ペプチドの応用技術., 絵で見てわかるナノ DDS., 遺伝子医学 MOOK 別冊, p.184-190, 2007
4. Takemori H Transcription factor cAMP response element-binding protein CREB. FEBS J. 2007 274:3201
5. Munazah Andrabi, Chioko Nagao, Kenji Mizuguchi and Shandar Ahmad, Bioinformatics approaches to Protein-Ligand interactions, in Pharmaceutical Data Mining: Approaches and Applications for Drug Discovery (Ed. KV Balakin, series: Technologies for the Pharmaceutical Industry, series editor Prof. Sean Ekins) John Wiley (USA), Under preparation (2008)
6. 森 康子. HHV-6 発見とその後の展開. 潜伏感染ウイルスによる血液疾患. 新しい診断と治療のABC 46, 最新医学. 別冊, 150-157, 2007
7. 森 康子. ヒトヘルペスウイルス 6 の宿主細胞への侵入機構. ウィルス研究の現在と展望. 蛋白質核酸酵素. 52, 増刊 1101-1105, 2007
8. 岡本成史, 森 康子. 新しい多価ワクチンの作製法. 水痘弱毒生ワクチンのベクターとしての応用. 化学と生物, 46, 12-16, 2008
9. 森 康子. ヘルペスウイルスの感染機構. ウィルス, 57 151-158, 2007
10. 水口裕之 ; 遺伝子治療研究の動向 ; 医薬ジャーナル新薬展望 2008、44、235-242 (2008)
11. 水口裕之; アデノウイルスベクター開発の最前線、バイオテクノロジージャーナル、7(2)、168-173 (2007) .
12. 水口裕之・櫻井文教・川端健二 ; カプシドタンパク質改変アデノウイルスベクター、遺伝子医学 MOOK 別冊 絵で見てわかるナノ DDS、235-242 (2007)
13. 川端健二・櫻井文教・水口裕之 ; 改良型アデノウイルスベクターを用いた遺伝子デリバリー、Drug Delivery System、22(2)、148-154 (2007)
14. 櫻井文教 ; ウィルスベクター、Drug Delivery System、22(2)、154 (2007)
15. 川端健二 ; 各種幹細胞への高効率遺伝子導入法の開発とその応用、Drug Delivery System、22(6)、668-669 (2007)
16. Kenji Kawabata ; Role of a novel protein, CAR-like soluble protein (CLSP), in adenovirus infection. Yakugaku Zasshi, 127、1091-1096 (2007)
17. 水口裕之・早川堯夫 ; アデノウイルスベクター ; バイオ医薬品の開発と品質・安全性確保、早川堯夫監修、エル・アイ・シー、pp563～577 (2007).
18. 早川堯夫・前田大輔・水口裕之 ; 遺伝子治療用医薬品の品質、安全性等の確保 ; バイオ医薬品の開発と品質・安全性確保、早川堯夫監修、エル・アイ・シー、pp551～562 (2007)
19. 水口裕之 ; 遺伝子導入技術開発とその応用、大阪医薬品協会会報、699(4)、21-45 (2007)
20. 小原有弘, 水澤 博、JCRB 細胞バンク:厚生労働省、細胞工学 2007;26(10):1177-8
21. 水澤 博、小原有弘、増井徹、 我国におけるヒト研究資源の現状と将来、医学のあゆみ 2007;222(2):113.
22. 小原有弘、大谷梓、小澤裕、塩田節子、増井徹、水澤博、培養細胞研究資源のマイコプラズマ汚染調査、Tiss.Cult.Res.Commun.26: 159-163(2007)
23. 水澤博、増井徹、竹内昌男、小原有弘 -190C 気相式液体窒素保存システム、Tiss.Cult.Res.Commun.26: 155-170(2007)
24. 水澤博、小原有弘、増井徹 単行本：バイオ研究の舞台裏—細胞バンクと研究倫理—（ポピュラーサイエンス 282）裳華房 (2007)
25. 水澤博、小澤裕、小原有弘、増井徹、佐藤元信、岩瀬秀、深海薰、西條薰、中村幸夫 培養細胞で頻発するクロスコンタミネーションへの警戒、実験医学、26:561-567(2008)

-
26. Masui, T. Trust and Creation of Biobanks: biobanking in Japan and the UK. M. Sleeboom-Falker, ed. Human Genetic Biobanks in Asia: Politics of Trust and Scientific Advancement, London: Kegan Paul,2007.
27. 増井徹. 包括同意、何が問題か：医学・生物学研究をめぐる内外の状況から. メディカルバイオエシックス 2007 ; 34 : 74-81.
28. 増井徹. 世界のゲノム疫学研究：英国のバイオバンクを中心にして. 最新医学 2007 ; 62 : 2234 -2242.
29. 長田直樹, 高橋一朗. JCRB 遺伝子バンク： 疾患研究と創薬にむけた遺伝子バンク. 細胞工学 26: 1307-1308 (2007).
30. 長田直樹. ヒトゲノム中での遺伝子発現パターンと淘汰圧との関係について. GSJ コミュニケーションズ 86-5 (2007)
-
31. Yasuhiro Yasutomi. Chimeric recombinant hepatitis E virus-like particles presenting foreign epitopes as a novel vector of vaccine by oral administration. Holland,CR. Ed. Structure-based viral replication. World Scientific Publishing.
-
32. 明里宏文：医学実験用靈長類を用いた病原体感染実験施設の管理運営におけるコンプライアンスとバイオセーフティ. JVM (獣医畜産新報) 60, 641-645, 2007
-