

## 平成20年度研究業績(論文・学会等発表)

### 論文発表(計175件)

#### (1)査読付論文(計127報)

1. Uehara T., Hirode M., Ono A., Kiyosawa N., Omura K., Shimizu T., Mizukawa Y., Miyagishima T., Nagao T., Urushidani T. A toxicogenomics approach for early assessment of potential non-genotoxic hepatocarcinogenicity of chemicals in rats. *Toxicology*. 250: 15-26, 2008.
2. Kiyosawa N., Ando Y. Manabe J., Yamoto T. Toxicogenomic Biomarkers for Liver Toxicity. *Journal of Toxicologic Pathology*. 22: 35-52, 2009.
3. Shibata H., Yoshioka Y., Ohkawa A., Minowa K., Mukai Y., Abe Y., Taniai M., Nomura T., Kayamuro H., Nabeshi H., Sugita T., Imai S., Nagano K., Yoshikawa T., Fujita T., Nakagawa S., Yamamoto A., Ohta T., Hayakawa T., Mayumi T., Vandeenabeele P., Aggarwal BB., Nakamura T., Yamagata Y., Tsunoda S., Kamada H., Tsutsumi Y. Creation and X-ray structure analysis of the tumor necrosis factor receptor-1-selective mutant of a tumor necrosis factor-alpha antagonist. *J. Biol. Chem.* 283: 998-1007, 2008.
4. Takahashi A., Komiya E., Kakutani H., Yoshida T., Fujii M., Horiguchi Y., Mizuguchi H., Tsutsumi Y., Tsunoda S., Koizumi N., Isoda K., Yagi K., Watanabe Y., Kondoh M. Domain mapping of a claudin-4 modulator, the C-terminal region of C-terminal fragment of clostridium perfringens enterotoxin, by site-directed mutagenesis. *Biochem. Pharm.* 75: 1639-1648, 2008.
5. Sugita T., Yoshikawa T., Mukai Y., Yamanada N., Imai S., Nagano K., Yoshida Y., Shibata H., Yoshioka Y., Nakagawa S., Kamada H., Tsunoda S., Tsutsumi Y. Comparative Study of the Protein Transduction Domains-Mediated Molecular Transduction. *Br. J. Pharmacol.* 153(6): 1143-1152, 2008.
6. Abe Y., Yoshikawa T., Kamada H., Shibata H., Nomura T., Minowa K., Kayamuro H., Katayama K., Miyoshi H., Mukai Y., Yoshioka Y., Nakagawa S., Tsunoda S., Tsutsumi Y. Simple and highly sensitive assay system for TNFR2-mediated soluble- and transmembrane-TNF activity. *J. Immunol. Methods*. 335(1-2): 71-78, 2008.
7. Yoshikawa T., Sugita T., Mukai Y., Yamanada N., Nagano K., Nabeshi H., Yoshioka Y., Nakagawa S., Abe Y., Kamada H., Tsunoda S., Tsutsumi Y. Organelle-targeted delivery of biological macromolecules using the protein transduction domain: Potential applications for peptide aptamer delivery into the nucleus. *J. Mol. Biol.* 380(5): 777-782, 2008.
8. Yoshikawa M., Mukai Y., Okada Y., Yoshioka Y., Tsunoda S., Tsutsumi Y., Okada N., Doi T., Nakagawa S. Ligand independent assembly of purified soluble human Magic Roundabout (Robo4), a tumor endotherial specific marker. *Protein. Expr. Purif.* 61(1): 78-82, 2008.
9. Gao J.Q., Kanagawa N., Xu D.H., Han M., Sugita T., Hatanaka Y., Tani Y., Mizuguchi H., Tsutsumi Y., Mayumi T., Okada N., Nakagawa S. Combination of two fiber-mutant adenovirus vectors, one encoding the chemokine FKN and another encoding cytokine interleukin 12, elicits notably enhanced anti-tumor responses. *Cancer Immunol. Immunother.* 58: 291-299, 2008.
10. Imai S., Mukai Y., Takeda T., Abe Y., Nagano K., Kamada H., Nakagawa S., Tsunoda S., Tsutsumi Y. The effect of protein properties on display efficiency using the M13 phage display system. *Pharmazie*. 63(10): 760-764, 2008.
11. Shibata H., Yoshioka Y., Ohkawa A., Abe Y., Nomura T., Mukai Y., Nakagawa S., Taniai M., Ohta T., Mayumi T., Kamada H., Tsunoda S., Tsutsumi Y. The therapeutic effect of TNFR1-selective antagonistic mutant TNF-<math>\alpha</math> in murine hepatitis models. *Cytokine*. 44(2): 229-233, 2008.
12. Mukai Y., Shibata H., Nakamura T., Yoshioka Y., Abe Y., Nomura T., Taniai M., Ohta T., Ikemizu S., Nakagawa S., Tsunoda S., Kamada H., Yamagata Y., Tsutsumi Y. Structure-function relationship of tumor necrosis factor (TNF) and its receptor interaction based on 3D structural analysis of a fully active TNFR1-selective TNF mutant. *J. Mol. Biol.* 385: 1221-1229, 2008.
13. Takemori H., Hashimoto KY., Nakae J., Olson EN., Okamoto M. Inactivation of HDAC5 by SIK1 in AICAR-treated C2C12 Myoblasts. *Endocr J.* 56: 121-130, 2009.

14. Li S., Zhang C., Takemori H., Zhou Y., Xiong ZQ. TORC1 Regulates Activity-dependent CREB-target Gene Transcription and Dendritic Growth of Developing Cortical Neurons. *J. Neurosci.* 29: 2334-2343, 2009.
15. Deng J., Zhang XL., Wang JW., Teng LL., Ge J., Takemori H., Xiong ZQ., Zhou Y. Expression and regulated nuclear transport of transducers of regulated CREB 1 in retinal ganglion cells. *Neuroscience*. 159: 1023-1031, 2009.
16. Nakakura T., Sato M., Suzuki M., Hatano O., Takemori H., Taniguchi Y., Minoshima Y., Tanaka S. The spatial and temporal expression of delta-like protein 1 in the rat pituitary gland during development. *Histochem Cell Biol.* 131: 141-153, 2009.
17. Hashimoto KY., Satoh T., Okamoto M., Takemori H. Importance of autophosphorylation at Ser186 in the A-loop of salt inducible kinase 1 for its sustained kinase activity. *J Cell Biochem.* 104: 1724-1739, 2008.
18. Tateishi Y., Ariyoshi M., Igarashi R., Hara H., Mizuguchi K., Seto A., Nakai A., Kokubo T., Tochio H., Shirakawa M. Molecular Basis for SUMOylation-dependent Regulation of DNA Binding Activity of Heat Shock Factor 2. *J Biol Chem.* 284: 2435-2447, 2009.
19. Mokrab Y., Stevens TJ., Mizuguchi K. Lipophobicity and the residue environments of the transmembrane alpha-helical bundle. *Proteins.* 74: 32-49, 2008.
20. Hart SE., Howe CJ., Mizuguchi K., Fernandez-Recio J. Docking of cytochrome c6 and plastocyanin to the aa3-type cytochrome c oxidase in the cyanobacterium *Phormidium laminosum*. *Protein Eng Des Sel.* 21: 689-698, 2008.
21. Bailly X., Vanin S., Chabasse C., Mizuguchi K., Vinogradov SN. A Phylogenomic Profile of Hemerythrins, the Nonheme Diiron Binding Respiratory Proteins. *BMC Evol Biol.* 8: 244, 2008.
22. Zhu B., Pennack JA., McQuilton P., Forero MG., Mizuguchi K., Sutcliffe B., Gu CJ., Fenton JC., Hidalgo A. Drosophila Neurotrophins Reveal a Common Mechanism for Nervous System Formation. *PLoS Biol.* 6: e284, 2008.
23. Ahmad S. Sequence dependence and prediction of nucleotide solvent accessibility in double stranded DNA. *Gene.* 428: 25-30, 2009.
24. Kahali B., Ahmad S. and Ghosh T.C. Exploring the evolutionary rate differences of party hub and date hub proteins in *Saccharomyces cerevisiae* protein-protein interaction network. *Gene.* 428: 25-30, 2009.
25. Ahmad S., Keskin O., Sarai A. and Nussinov R. DNA-binding proteins: structural, thermodynamic and clustering patterns of conserved residues in DNA-binding proteins. *Nucleic Acids Research.* 36: 5922-5932, 2008.
26. Naqvi RA., Hussain A., Raish M., Noor A., Shahid M., Sarin R., Kukreti H., Khan NJ., Ahmad S., Deo V.S., Husain SA., Pasha ST., Basir SF., Shukla NK. Specific 5'CpG island methylation signatures of FHIT and p16 genes and their potential diagnostic relevance in Indian breast cancer patients. *DNA Cell Biology.* 27: 517-525, 2008.
27. Singh R., Ahmad S., Mossavi A. and Ahmad F. A new method for determining the constant pressure heat-capacity change associated with the transition between the native and random coil state of the proteins. *Biophysical Chemistry.* 133: 81-89, 2008.
28. Kochetov AV., Ahmad S., Ivanisenko V., Volkova OA., Kolchanov NA., Sarai A. uORFs, reinitiation and alternative translation start sites in human mRNAs. *FEBS Lett.* 582(9): 1293-1297, 2008.
29. Malik A., Arif S M., Ahmad S., Sunderasan E. A molecular and in-silico characterization of Hev b 4, a glycosylated latex allergen. *Int. J. Biol. Macromol.* 42: 185-190, 2008.
30. Takemoto M., Imasawa T., Yamanishi K., Mori Y. Role of dendritic cells infected with human herpesvirus 6 in virus transmission to CD4(+) T cells. *Virology.* 385: 294-302, 2009.
31. Mori Y., Koike M., Moriishi E., Kawabata A., Tang H., Oyaizu H., Uchiyama Y., Yamanishi K. Human herpesvirus-6 induces MVB formation and virus egress occurs via an exosomal release pathway. *Traffic.* 9: 1728-1742, 2008.
32. Sadaoka K., Okamoto S., Gomi Y., Tanimoto T., Yoshikawa T., Asano Y., Yamanishi K., Mori Y. Measurement of varicella-zoster virus (VZV)-specific cell-mediated immunity - Comparison of VZV-skin test and interferon-gamma ELISPOT assay. *J. Infect. Dis.* 198: 1327-1333, 2008.

33. Tang H., Kawabata A., Takemoto M., Yamanishi K., Mori Y. Human herpesvirus-6 infection induces the reorganization of membrane microdomains in target cells, which are required for virus entry. *Virology*. 378: 265-271, 2008.
34. Koshizuka T., Sadaoka T., Yoshii H., Yamanishi K., Mori Y. Varicella-zoster virus ORF 1 gene product is a tail-anchored membrane protein localized to plasma membrane and trans-Golgi network in infected cells. *Virology*. 377: 289-295, 2008.
35. Yoshii H., Sadaoka K., Matsuura M., Nagaike K., Takahashi M., Yamanishi K., Mori Y. Varicella-zoster virus ORF 58 gene is dispensable for viral replication in cell culture. *Virol. J.* 5: 54, 2008.
36. Yamagishi Y., Sadaoka T., Yoshii H., Somboonthum P., Imazawa T., Nagaike K., Ozono K., Yamanishi K. and Mori Y. Varicella-zoster virus glycoprotein M homolog is glycosylated, is expressed on the viral envelope, and functions in virus cell-to-cell spread. *J. Virol.* 82: 795-804, 2008.
37. Okamoto S., Yoshii H., Ishikawa T., Akagi T., Akashi M., Takahashi M., Yamanishi K. and Mori Y. Single dose of inactivated Japanese encephalitis vaccine with poly(gamma-glutamic acid) nanoparticles provides effective protection from Japanese encephalitis virus. *Vaccine*. 26: 589-594, 2008.
38. E. Wies, Mori Y., Hahn A., Kremmer E., Sturzl M., Fleckenstein B., Neipel F. The viral interferon-regulatory factor-3 is required for the survival of KSHV-infected primary effusion lymphoma cells. *Blood*. 111: 320-327, 2008.
39. Okamoto S., Terao Y., Hasuike K., Hamada S., Kawabata S. A novel streptococcal leucine zipper protein (Lzp) binds to human immunoglobulins. *Biochem. Biophys. Res. Commun.* 377: 1128-1134, 2008.
40. Kunitomo E., Terao Y., Okamoto S., Rikimaru T., Hamada S., Kawabata S. Molecular and biological characterization of histidine triad protein in group A streptococci. *Microbes Infect.* 10: 414-423, 2008.
41. Okamoto S., Terao Y., Tamura Y., Hamada S., Kawabata S. Streptococcal immunoglobulin-binding protein Sib35 exerts stimulatory and mitogenic effects toward mouse B lymphocytes. *FEMS Microbiol. Lett.* 281: 73-81, 2008.
42. Ushijima Y., Koshizuka T., Goshima F., Kimura H., Nishiyama Y. Herpes simplex virus type 2 UL56 interacts with the ubiquitin ligase Nedd4 and increases its ubiquitination. *J. Virol.* 82: 5220-5233, 2008.
43. Isegawa Y., Hara J., Amo K., Osugi Y., Takemoto M., Yamanishi K., Fukunaga R., Shibata M., Ohshima A., Horiguchi Y., Sugimoto N. Human herpesvirus 6 ganciclovir-resistant strain with amino acid substitutions associated with the death of an allogeneic stem cell transplant recipient. *J. Clin. Virol.* 44: 15-19, 2009.
44. Seki E., Kondo Y., Iimuro Y., Naka T., Son G., Kishimoto T., Fujimoto J., Tsutsui H., Nakanishi K. Cooperative contribution of MET- and EGFR-mediated STAT3 phosphorylation to liver regeneration following partial hepatectomy in mice. *Journal of Hepatology*. 48: 237-245, 2008.
45. Nishikawa T., Hagihara K., Isobe T., Matsumura A., Song J., Tanaka T., Kawase I., Naka T., Yoshizak K. Transcriptional Complex Formation of c-Fos, STAT3, and HNF-1  $\alpha$  is Essential for the Cytokine-driven CRP Gene Expression. *J Immunol.* 180: 3492-3501, 2008.
46. Yamaguchi H., Takagi J., Miyamae T., Yokota S., Oshima S., Naka T., Nagata S. Human Milk Fat Globule EGF Factor 8 in the serum of human patients with systemic lupus erythematosus. *J Leukocyte biology*. 83: 1300-1307, 2008.
47. Serada S., Fujimoto M., Miura M., Koike N., Ohsugi Y., Nishikawa T., Terabe F., Ohkawara T., Takahashi T., Nomura S., Ripley B., Kimura A., Kishimoto T., Naka T. IL-6 blockade inhibits the induction of myelin antigen specific Th17 cells and Th1 cells in experimental autoimmune encephalomyelitis. *Proc. Natl. Acad. Sci. USA*. 105: 9041-9046, 2008.
48. Horino J., Fujimoto M., Serada S., Terabe T., Takahashi T., Souma Y., Kawase I., Hayasi N., Naka T. Suppressor of cytokine signaling-1 (SOCS-1) negatively regulates the development of dextran sodium-induced colitis in mice. *Int Immunol.* 20: 753-762, 2008.
49. Yu C-R, Mahdi RM., Liu X., Zhang A., Naka T., Kishimoto T., Egwuagu C-E. SOCS1 Regulates CCR7 expression and Migration of CD4+ T Cells into peripheral Tissues. *J Immunol.* 181: 1190-1198, 2008.

50. Kimura A., Naka T., Nohara K., Fujii-Kuriyama Y., Kishimoto T. Aryl hydrocarbon receptor regulates Stat1 activation and participates in the development of Th17 cells. *Proc. Natl. Acad. Sci. USA.* 105: 9721-9726, 2008.
51. Takahashi T., Naka T., Fujimoto M., Hirota S., Satoshi S., Miyoshi E., Nakajima K., Nishitani A., Souma Y., Sawa Y., Nishida T. Aberrant Expression of Glycosylation in Juvenile Gastrointestinal Stromal Tumors. *Proteomics-clinical aplications.* 2: 1246-1254, 2008.
52. Iwahori K., Osaki T., Serada S., Suzuki H., Kishi Y., Fujimoto M., Yokoyama A., Hamada H., Fujii Y., Yamaguchi K., Hirashima T., Matsui K., Tachibana I., Nakamura Y., Kawase I. and Naka T. Megakaryocyte Potentiating Factor as a tumor marker of malignant pleural mesothelioma: comparative evaluation with mesothelin. *Lung Cancer.* 62: 45-54, 2008.
53. Fujimoto M., Serada S., Mihara M., Koike N., Yoshida H., Ohsugi Y., Nishikawa T., Ripley B., Kimura A., Kishimoto T., Naka T. IL-6 blockade suppresses autoimmune arthritis by inhibition of inflammatory Th17 responses. *Arthritis & Rheumatology.* 58: 3710-3719, 2008.
54. Kuro T., Ikutani M., Kariyone A., Takatsu K. Expression of IL-5R $\alpha$  on B-1 cell progenitors in mouse fetal liver and involvement of Bruton's Tyrosine kinase in their development. *Immunol Lett.* doi:10.1016/j.imlet.2009.03.008.
55. Katakai T., Suto H., Sugai M., Gonda H., Togawa A., Suematsu S., Ebisuno Y., Katagiri K., Kinashi T. and Shimizu A. Organizer-Like Reticular Stromal Cell Layer Common to Adult Secondary Lymphoid Organs. *J Immunol.* 181(9): 6189-6200, 2008.
56. Sakurai F., Nakamura S-I., Akitomo K., Shibata H., Terao K., Kawabata K., Hayakawa T., Mizuguchi H. Adenovirus serotype 35 vector-mediated transduction following direct administration into organs of nonhuman primates. *Gene Ther.* 16: 297-302, 2009.
57. Tashiro K., Kondo A., Kawabata K., Sakurai H., Sakurai F., Yamanishi K., Hayakawa T., Mizuguchi H. Efficient osteoblast differentiation from mouse bone marrow stromal cells with polylysine-modified adenovirus vectors. *Biochem. Biophys. Res. Commun.* 379: 127-132, 2009.
58. Huang H., Sakurai F., Higuchi Y., Kawakami S., Hashida M., Kawabata K., Hayakawa T., Mizuguchi H. Suppressive effects of sugar-modified cationic liposome/NF- $\kappa$ B decoy complexes on adenovirus vector-induced innate immune responses. *J. Control. Release.* 133: 139-145, 2009.
59. Shimada M., Wang H-B., Ino A., Xu X-P., Yoshida A., Shinoda K., Ura T., Mizuguchi H., Klinman D., Luo J-L., Bai H., Okuda K. Effect of therapeutic immunization using Ad5/35 and MVA vectors on SIV-infection of rhesus monkeys undergoing anti-retroviral therapy. *Gene Ther.* 16: 218-228, 2009.
60. Ura T., Yoshida A., Xin K-Q., Yoshizaki S., Yashima S., Abe S., Mizuguchi H., Okuda K. Designed recombinant adenovirus type 5 vector induced env-specific CD8+ cytotoxic T lymphocytes and cross-reactive neutralizing antibodies against human immunodeficiency virus type 1. *J. Gene Med.* 11: 139-149, 2009.
61. Gao J-Q., Tsuda Y., Han M., Xu D-H., Kanagawa N., Hatanaka Y., Tani Y., Mizuguchi H., Tsutsumi Y., Mayumi T., Okada N., Nakagawa S. NK cells are migrated and indispensable in the anti-tumor activity induced by CCL27 gene therapy. *Cancer Immunol Immunother.* 58: 291-299, 2009.
62. Kurihara Y., Watanabe Y., Onimatsu H., Kojima T., Shirota T., Hatori M., Liu D., Kyo S., Mizuguchi H., Urata Y., Shintani S., Fujiwara T. Telomerase-Specific Virotheranostics for Human Head and Neck Cancer. *Clin. Cancer Res.* 15: 2335-2343, 2009.
63. Suzuki T., Sakurai F., Nakamura S-I., Kouyama E., Kawabata K., kondoh M., Yagi K., Mizuguchi H. miR-122a-regulated expression of a suicide gene prevents hepatotoxicity without disturbing the antitumor effects in suicide gene therapy. *Mol. Ther.* 16: 1719-1726, 2008.
64. Yoshioka Y., Asavatanabodee R., Eto Y., Watanabe H., Morishige T., Yao X., Kida S., Maeda M., Mukai Y., Mizuguchi H., Kawasaki K., Okada N., Nakagawa S. Tat conjugation of adenovirus vector broadens tropism and enhances transduction efficiency. *Life Science.* 83: 747-755, 2008.
65. Sakurai H., Tashiro K., Kawabata K., Yamaguchi T., Sakurai F., Nakagawa S., Mizuguchi H. Adenoviral expression of suppressor of cytokine signaling-1 reduces adenovirus vector-induced innate immune response. *J. Immunol Methods.* 180: 4931-4938, 2008.

66. Sakurai F., Nakamura S-I., Akitomo K., Shibata H., Terao K., Kawabata K., Hayakawa T., Mizuguchi H. Transduction properties of adenovirus serotype 35 vectors after intravenous administration in nonhuman primates. *Mol. Ther.* 16: 726-733, 2008.
67. Yoshikawa T., Niwa T., Okada N., Mizuguchi H., Nakagawa S. Engineering of highly-immunogenic long-lived DC vaccines by anti-apoptotic protein gene-transfer to enhance cancer vaccine potency. *Gene Ther.* 15: 1321-1329, 2008.
68. Arita E., Kondoh M., Isoda K., Nishimori H., Yoshida T., Mizuguchi H., Yagi K. Evaluation of promoter strength in mouse and rat primary hepatocytes using adenovirus vectors. *Eur. J. Pharm. Biopharm.* 70: 1-6, 2008.
69. Tashiro K., Kawabata K., Sakurai H., Kurachi S., Sakurai F., Yamanishi K., Mizuguchi H. Efficient adenovirus vector-mediated peroxisome proliferator-activated receptor gamma gene transfer into mouse embryoid bodies promotes adipocyte differentiation. *J. Gene Med.* 10: 498-507, 2008.
70. Kanagawa N., Koretomo R., Murakami S., Sakurai F., Mizuguchi H., Nakagawa S., Fujita T., Yamamoto A., Okada N. Factors involved in the maturation of murine dendritic cells transduced with adenoviral vector variants. *Virology*. 374: 411-420, 2008.
71. Nakashima K., Sakurai F., Kawabata K., Mizuguchi H. Efficient gene delivery in human and rodent mast cells using adenovirus vectors. *J. Control. Release*. 129: 215-222, 2008.
72. Sakurai H., Kawabata K., Sakurai F., Nakagawa S., Mizuguchi H. Innate immune response induced by gene delivery vectors (Review). *Int. J. Pharm.* 354: 9-15, 2008.
73. Kurachi S., Koizumi N., Tashiro K., Sakurai H., Sakurai F., Kawabata K., Nakagawa S., Mizuguchi H. The modification of the pIX or hexon based on fiberless Ad vectors is not effective for the development of targeted Ad vectors. *J. Control. Release*. 127: 88-95, 2008.
74. Sakurai F. Development and evaluation of a novel gene delivery vehicle composed of adenovirus serotype 35 (Review). *Biol. Pharm. Bull.* 31: 1819-1825, 2008.
75. Takeuchi M., Takeuchi K., Ozawa Y., Kohara A., Mizusawa H. Aneuploidy in immortalized human mesenchymal stem cells with non-random loss of chromosome 13 in culture. *In Vitro Dev. Biol. Animal.* 45(5-6): 290-299, 2009.
76. Nakanishi M., Kurisaki A., Hayashi Y., Warashina M., Ishiura S., Furue MK. and Asashima M. Directed induction of anterior and posterior primitive streak by Wnt from embryonic stem cells cultured in a chemically defined serum-free medium. *FASEB J.* 23: 114-122, 2009.
77. Furue MK., Namie J., Jackson JP., Okamoto T., Jones M., Baker D., Hata R., Moore HD. Sato JD. Andrews,PW., Heparin promotes the growth of human embryonic stem cells in a defined serum-free medium. *Proc. Natl. Acad. Sci. USA.* 105: 13409-13414, 2008.
78. Osada N., Innan H. Duplication and Gene Conversion in the *Drosophila melanogaster* Genome. *PLoS Genet.* 4: e1000305, 2008.
79. Osada N., Mano S., Gojobori. J. Quantifying dominance and deleterious effect on human disease genes. *Proc. Natl. Acad. Sci. USA.* 106: 841-846, 2009.
80. Uchio K., Sawada K., Manabe N. The expression of macrophage metalloelastase (MMP-12) in podocytes of hereditary nephrotic mice (ICGN strain). *The Journal of Veterinary Medical Science.* 71(3): 305-312, 2009.
81. Yamamoto Y., Ishino F., Kaneko-Ishino T., Shiura H., Uchio-Yamada K., Matsuda J., Suzuki O., and Sato K. Type 2 Diabetes Mellitus in a Non-Obese Mouse Model Induced by Meg1/Grb10 Overexpression. *Exp Anim.* 57(4): 385-395, 2008.
82. Yagura T., Motomiya T., Ito M., Honda G. , Iida A., Kiuchi, F., Tokuda H., Nishino H. Anticarcinogenic compounds in the Uzbek medicinal plant, *Helichrysum maracandicum*. *J. Natural Medicines.* 62 (2): 174-178, 2008.
83. Makino T., Hishida A., Goda Y., Mizukami H. Comparison of the major flavonoid content of *S. baicalensis*, *S. lateriflora*, and their commercial products. *J. Natural Medicines.* 62 (3): 294-299, 2008.
84. Gao H-Y., Wu L-J., Muto N., Fuchino H., Nakane T., Shirota O., Sano T., Kuroyanagi M. Beyerane Derivatives and a Sesquiterpene Dimer from Japanese Cypress (*Chamaecyparis obtuse*). *Chem. Pharm. Bull.* 56 (7): 1030-1034, 2008.

85. Maruyama T., Kamakura H., Miyai M., Komatsu K., Kawasaki T., Fujita M., Shimada H., Yamamoto Y., Shibata T., Goda Y. Authentication of the Traditional Medicinal Plant *Eleutherococcus senticosus* by DNA and Chemical Analyses. *Planta Med.* 74: 787-789, 2008.
86. Yoshida K., Hishida A., Iida O., Hosokawa K., Kawabata J. Flavonol Caffeoylglycosides as alpha-Glucosidase Inhibitors from *Spiraea cantoniensis* Flower. *J. Agric. Food Chem.* 56 (12): 4367-4371, 2008.
87. Goda Y., Kawahara N., Kiuchi F., Hirakura K., Kikuchi Y., Nishimura H., Takao M., Marumoto M., Kitazaki H. A guanidine derivative from seeds of *Plantago asiatica*. *J. Natural Medicines.* 63 (1): 58-60, 2009.
88. Suzuki A., Shirota O., Mori K., Sekita S., fuchino H., Takano A., Kuroyanagi, M. Leishmanicidal Active Constituents from Nepalase Medicinal Plant Tulsi (*Ocimum sanctum L.*). *Chem. Pharm. Bull.* 57(3): 245-251, 2009.
89. Okabayashi S., Ohno,C., Kato M., Nakayama H., Yasutomi Y. Congenital cystic adenomatoid-like malformation in a cynomolgus monkey (*Macaca fascicularis*). *Vet. Path.* 45: 232-235, 2008.
90. Tsuchida J., Yoshida Y., Sankai T. and Yasutomi Y. Maternal behavior of laboratory-born, individually reared long-tailed macaques (*Macaca fascicularis*). *J.Am.Assoc.Lab.Anim* 47: 29-34, 2008.
91. Mori H., Yamanaka K., Matsuo K., Yasutomi Y. and Mizutani H. Administration of Ag85B showed therapeutic effects to Th2-type cytokine-mediated acute phase atopic dermatitis by inducing regulatory T cells. *Arch Dermatol.Res.* July Epub ahead, 2008.
92. Yasui F., Kai C., Kitabatake M., Inoue S., Yoneda M., Yokochi S., Kase R., Sekiguchi S., Morita K., Hishima T., Suzuki H., Karamatasu K., Yasutomi Y., Shida H., Kidokoro M., Mizuno K., Matsushima K. and Kohara M. Prior immunization with SARS-CoV nucleocapsid protein causes severe pneumonia in mice infected with SARS-CoV. *J.Immunol.* 47: 1-6, 2008.
93. Okabayashi S., Ohno C. and Yasutomi Y. Acute megakaryocytic leukemia (AMKL)-like disease in a Cynomolgus monkey (*Macaca fascicularis*). *J.Comp.Pathol.* 140: 212-216, 2009.
94. Morioka T., Yamanak K., Mori H., Omoto Y., Tokime K., Kakeda M., Kurokawa I., Gabazza E., Tsubura A., Yasutomi Y. and Mizutani H. IL-4/IL-13 antagonist DNA vaccination successfully suppresses Th2 type chronic dermatitis. *Br.J.Dermatol.* Epub ahead, 2009.
95. Hiyoshi M., Suzu S., Yoshidomi Y., Hassan R., Harada H., Sakashita N., Akari H., Motoyoshi K., Okada S. Interaction between Hck and HIV-1 Nef negatively regulates cell surface expression of M-CSF receptor. *Blood.* 111: 243-250, 2008.
96. Sato H., Leo N., Katakai Y., Takano J., Akari H., Nakamura S., Une Y. Prevalence and molecular phylogenetic characterization of Trypanosoma (*Megatrypanum*) minasense in the peripheral blood of amsll neotropical primates (*Saimiri sciureus* and *Saguinus midas*) after a quarantine period. *Journal of Parasitology.* 94: 1128-1138, 2008.
97. Kawada M., Tsukamoto T., Iwamoto N., Kurihara K., Takeda A., Moriya C., Takeuchi H., Akari H., Matano T.: Gag-specific cytotoxic T lymphocyte-based viral containment in a macaque AIDS model. *Journal of Virology.* 82: 10199-10206, 2008.
98. Nakajima T., Ohtani H., Satta Y., Uno Y., Akari H., Ishida T., Kimura A. Natural selection in the TLR-related genes in the course of primate evolution. *Immunogenetics.* 60: 727-735, 2008.
99. Hohjoh H., Akari H., Fujiwara Y., Hirai H., Wada K. Molecular cloning and characterization of the common marmoset huntingtin gene. *Gene.* 2008.11.24 Epub ahead
100. Izumi T., Takaori-Kondo A., Shirakawa K., Higashitsuji H., Itoh K., Io K., Matsui M., Iwai K., Kondoh H., Sato T., Tomonaga M., Ikeda S., Akari H., Koyanagi Y., Fujita J., Uchiyama T. Mdm2 is a novel E3 ligase for HIV-1 Vif. *Retrovirology.* 2009.1.6 Epub ahead
101. Shimozawa N., Sankai T., Ogura A. Reproductive technologies and related studies in the cynomolgus monkey. *J Mamm Ova Res.* 25: 133-142, 2008.
102. Sultana F., Hatori M., Shimozawa N., Ebisawa T., Sankai T. Continuous observation of rabbit preimplantation embryos in vitro by using a culture device connected to a microscope. *J Am Association Lab Anim Sci.* 48: 1-5, 2009.

103. Honda A, Hirose M, Inoue K, Ogonuki N, Miki H, Shimozawa N, Hatori M, Shimizu N, Murata T, Hirose H, Katayama K, Wakisaka N, Miyoshi H, Yokoyama K, Sankai T, Ogura A Stable ES cell lines in rabbits - potential small animal models for human ES cell research. *Reprod Biomed Online*. 17: 706-715, 2008.
104. Sankai T. Mini-Symposium Organize: The latest reproductive research in nonhuman primate. *J Mamm Ova Res*. 25: 121, 2008.
105. Hayasaka S., Terada Y., Suzuki K., Murakawa H., Tachibana I., Sankai T., Murakami T., Yaegashi N., Okamura K. Intramanchette transport during primate spermiogenesis: expression of dynein, myosin Va, MyRIP, and Rab27b in the manchette during human and monkey spermiogenesis. *Asian J Androl*. 10: 1-8, 2008.
106. Okabayashi S. and Kimura N. Leucine-rich glioma inactivated 3 is involved in amyloid  $\square$  peptide uptake by astrocytes and endocytosis itdels. *Neuroreport*. 19(12): 1175-1179, 2008.
107. Nakamura S., Okabayashi S., Ageyama N., Koie H., Sankai T., Ono F., Fujimoto K., Terao K. Transthyretin Amyloidosis and Two Other Aging-Related Amyloidoses in an Aged Vervet Monkey. *Vet Pathol*. 45: 67-72, 2008.
108. Seki Y., Muneyuki K., Kandori A., Tsukada K., Terao K., Ageyama N. Standardization of magnetocardiography in nonhuman primates. *Phys Med Biol*. 53: 1609-1618, 2008.
109. Yamaguchi K., Sugiyama T., Kato S., Kondo Y., Ageyama N., Kanekiyo M., Iwata M., Koyanagi Y., Yamamoto N., Honda M. A novel CD4-conjugated ultraviolet light-activated photocatalyst inactivates HIV-1 and SIV efficiently. *J Med Virol*. 80: 1322-1331, 2008.
110. Tanaka Y., Nakamura S., Shibata H., Kishi Y., Ikeda T., Masuda S., Sasaki K., Abe T., Hayashi S., Kitano Y., Nagao Y., and Hanazono Y. Sustained macroscopic engraftment of cynomolgus embryonic stem cells in xenogeneic large animals after in utero transplantation. *Stem Cells Dev*. 17: 367-382, 2008.
111. Blancher A., Bonhomme M., Crouau-Roy B., Terao K., Kitano T., Saitou N. Mitochondrial DNA Sequence Phylogeny of 4 Populations of the Widely Distributed Cynomolgus Macaque (*Macaca fascicularis fascicularis*). *J Hered*. 99(3): 254-264, 2008.
112. Terao K, Dynamic changes in early development of immune system in macaque monkeys -The significance from standpoint of the preclinical toxicity test using nonhuman primates-. *Journal of Toxicological Science*. Epub ahead, 2009.
113. Akari H., Iwasaki Y., Yoshida T., Iijima S. Non-human primate surrogate model of hepatitis C virus infection. *Microbiology and Immunology*. 53: 53-57, 2009.
114. Iwasaki Y., Akari H., Murakami T., Kumakura S., Dewan MZ., Yanaka M., Yamamoto N. Efficient inhibition of SDF-1  $\alpha$ -mediated chemotaxis and HIV-1 infection by novel CXCR4 antagonists. *Cancer Science*. Epub ahead Feb, 2009.
115. Kimura N. Nonhuman Primates as the Animal Model for Age-Dependent Diseases. *Women and Aging: New Research (Book)*. 4th Quarter, 2008.
116. Kishi Y., Inoue M., Tanaka Y., Shibata H., Masuda S., Ikeda T., Hasegawa M., and Hanazono Y. Knockout Serum Replacement (KSR) has a suppressive effect on Sendai virus-mediated transduction of cynomolgus ES cells. *Cloning and Stem Cells*. 10: 307-312, 2008.
117. Tanaka Y., Ikeda T., Kishi Y., Masuda S., Shibata H., Takeuchi K., Komura M., Iwanaka T., Muramatsu S., Kondo Y., Takahashi K., Yamanaka S. and Hanazono Y. ERas is expressed in primate embryonic stem cells but not related to tumorigenesis. *Cell Transplant*. Epub ahead Feb, 2009.
118. Motohashi H H. Sankai T., Nariai K., SatoK., Kada H. Effects of in vitro culture of mouse fetal gonads on subsequent ovarian development in vivo and oocyte maturation in vitro. *Human Cell*. 22: 43-48, 2009.
119. Muramatsu S., Okuno T., Suzuki Y., Nakayama T., Kakiuchi T., Takino N., Iida A., Ono F., Terao K., Inoue N., Nakano I., Kondo Y., Tsukada H. Multi-tracer assessment of dopamine function after transplantation of embryonic stem cell-derived neural stem cells in a primate model of Parkinson's disease. *Synapse*. 63: 541-548, 2009.
120. Nomura T. Trangenerational effects from exposure to environmental toxic substance. *Mutat.Res. Rev*. 659: 185-193, 2008.

- 
121. Nomura T., Hongyo T., Nakajima H., Li L.Y., Syaifudin M., Adachi S., Ryo H., Baskar R., Fukuda K., Oka Y., Sugiyama H. and Matsuzuka F. Differential radiation sensitivity to morphological, functional and molecular changes of human thyroid tissues and bone marrow cells maintained in SCID mice. *Mutat Res.* 657: 68-76, 2008.
- 
122. 林 洋平、古江一楠田美保、明石靖史、岡本哲治、浅島 誠  
マウスES細胞の無血清培養法(総説). *Tiss. Cult. Res. Commun.* 27: 107-115, 2008.
- 
123. 古江一楠田美保 日本におけるヒトES、iPS細胞研究標準化:その1. *Tiss. Cult. Res Commun.* 27: 139-147, 2008.
- 
124. 緒方潤、花尻(木倉)瑠理、吉松嘉代、木内文之、合田幸広.  
大麻種子の 2,3,5-Triphenyl-2H-tetrazolium Chloride (TTC)による発芽能力鑑定. *YAKUGAKU ZASSHI*. 128 (11): 1707-1711, 2008.
- 
125. 小平美江子、梁 治子、高橋規郎、鎌田直子、古川恭治、中島裕夫、野村大成、中村 典.  
原爆被爆者の子供におけるマイクロサテライト突然変異のスクリーニング. 長崎医学会雑誌 (Nagasaki Med J) . 83: 345-348, 2008.
- 
126. 野村大成、梁治子、足立成基、中島裕夫、本行忠志、藤川和男、伊藤哲夫、松塚文夫  
ヒト臓器・組織置換マウス等を用いた宇宙放射線の人体および継世代リスクの基礎評価. 宇宙利用シンポジウム発表論文集. 25: 42-45, 2009.
- 
127. 野村大成、梁治子、足立成基、中島裕夫、本行忠志、藤川和男、伊藤哲夫  
宇宙環境の人体影響研究班ワーキンググループ報告. 宇宙利用シンポジウム発表論文集. 25: 46-48, 2009.
-

## (2)査読なし論文等(計48報)

1. 吉川友章、鍋師裕美、吉岡靖雄. トキシコキネティクス／トキシコプロテオーム解析によるナノマテリアルの生物学的影響評価. 薬学雑誌, 128(12):1715-1725, 2008.
2. 角田慎一、堤 康央. ナノマテリアルの医薬品への展開とリスク. 薬学雑誌, 128(12):1713-1714, 2008.
3. 吉岡靖雄、吉川友章、角田慎一. 医薬品・香粧品におけるナノマテリアルの安全性評価. Pharma VISION NEWS. 12:14-18, 2008.
4. Takemori H. New approach to therapy for obesity and diabetes by targeting the energy-sensing signaling SIK.. Kansai Univ. Innovation Symposium, 13:369-372, 2009.
5. 水口賢司、長尾知生子. 第3編 3章 タンパク質立体構造のモデリング. タンパク質結晶の新展開 監修 高野和文 シーエムシー出版, 2008.
6. 水口賢司. 構造・機能バイオインフォマティクスの新規創薬への応用. 遺伝子医学 MOOK14号「次世代創薬テクノロジー・実践：インシリコ創薬の最前線 2009」, 2009.
7. Chetty M., Ngom A., Ahmad S. (Eds.). Pattern Recognition in Bioinformatics (Third IAPR international conference PRIB 2008 proceedings). Series Lecture Notes in Computer Science., vol. 5265 XVI (2008) Springer (USA)
8. Andrabi M., Nagao C., Mizuguchi K., Ahmad S. Bioinformatics approaches to Protein-Ligand interactions, in Pharmaceutical Data Mining. Approaches and Applications for Drug Discovery, Ed. KV Balakin, John Wiley (USA), 2008.
9. Yamanishi K. and Mori Y. Human Herpesvirus 6 and Human Herpesvirus 7.(In Douglas D. Richman, Richard J. Whitley, Frederick G. Hayden, Editors.), Clinical Virology Third Edition:507-519, ASM PRESS, 2009.
10. 山岸義晃、森 康子. HHV-7 関連皮膚疾患の診断と治療. Derma.147:83-88, 2008.
11. 岡本成史、森 康子. 帯状疱疹ワクチン開発に向けた取り組み. 臨床と微生物, 36(1):69-73, 2009.
12. 岡本成史、森 康子. 新しい多価ワクチンの作製法. 水痘弱毒生ワクチンのベクターとしての応用. 化学と生物, 46(1):12-16, 2008.
13. 森 康子、岡本成史. 水痘生ワクチンを用いた組換えウイルスの作製と組換え多価生ワクチンとしての応用. Medical Science Digest., 34(10):436-439, 2008.
14. 藤本穣、世良田聰、仲哲治. CIA, EAE の病態形成における IL-6 の役割. Jpn. J. Clin. Immunol. 31:78-84, 2008.
15. 世良田聰、藤本穣、仲哲治. IL-6 阻害による実験的自己免疫性脳脊髄炎発症の抑制. 実験医学, 26:3062-3065, 2008.
16. 木村彰宏、仲哲治、岸本忠三. Th17 と関節炎. 炎症と免疫, 17:21-26, 2008.
17. Takatsu K., Kouro T., and Nagai Y. Chapter 6 interleukin 5 in the link between the innate and acquired immune response. Advances in Immunology., 101:191-236, 2009.
18. 末松佐知子. 「人工リンパ組織構築とは何か」. Organ Biology., 15(1):23-32, 2008.
19. 水口裕之. 改良型アデノウイルスベクター開発の最前線(Review). 脳, 12:123-131, 2009.
20. 衛藤佑介、吉岡靖雄、Asavatanabodee R、水口裕之、向洋平、岡田直貴、中川晋作. 標的指向性を有するバイオコンジュゲート化アデノウイルスベクターの開発 (Review). 薬学雑誌, 128:1733-1742, 2008.
21. 水口裕之. 遺伝子治療研究の動向 (Review). 医薬ジャーナル新薬展望 2008, 44:235-242, 2008.
22. 水口裕之. ウイルスベクター (Review). ウイルスハンドブック (日本医学館) :6-7, 2008.
23. 水口裕之. アデノウイルスベクター (Review). 機能性 DDS キャリアの製剤設計 (シーエムシー出版) :133-141, 2008.
24. Sakurai F. Development of a replication-incompetent adenovirus vector derived from subgroup B adenovirus serotype 35. (Review). Yakugaku Zasshi., 128:1751-1761, 2008.
25. Masui T. Governing UK Biobank: Mutual independency and fiduciary responsibility of EGC and of UK Biobank to society are essential.. Ethics and Governance Council Work Review, 2008.
26. Masui T. Trust and Creation of Biobanks: Biobanking in Japan and the UK. M. Sleeboom-Faulkner, ed. Human Genetic Biobanks in Asia: Politics of Trust and Scientific Advancement, Routledge Contemporary Asia Series. London: Routlegde :66-91, 2008.

27. 水澤博、小澤裕、小原有弘、増井徹、佐藤元信、岩瀬秀、深海薰、西條薰、中村幸夫. 培養細胞で頻発するクロスコンタミネーションへの警戒. 実験医学, 26(3):561-567, 2008.
28. 水澤博、小澤裕、増井徹、平田誠、小原有弘. STR 分析によるヒト培養細胞の迅速同定法－培養細胞のクロスコンタミネーション防止のために－. 実験医学, 26:1395-1403, 2008.
29. 増井徹. NCI 生物研究資源保管施設実務要領(翻訳). NCI Best Practices of Biospecimen Resources, 2007 : 1-72, 2009.
30. 増井徹. 1 章-6 細胞培養の倫理問題, 特許. 「培養細胞実験ハンドブック 改訂第 2 版(仮題)」羊上社 :49-54, 2008.
31. 岩志和一郎、甲斐克則、白井泰子、長谷川知子、増井徹共著. 講義 生命科学と法. 「生命科学と法」 尚学社 :16-86, 2008.
32. 増井徹. 「複数の『人の試料とデータのコレクション』を医学研究に利用するために」(William Lowrance, Access to collections of data and materials for health research. MRC and Wellcome Trust, March, 2006.) :1-57, 2008.
33. Osada N., Sugano S., Suzuki Y.. Handbook of Human Molecular Evolution.. David N. Cooper (Editor), Hildegard Kehrer-Sawatzki (Editor), John Wiley & Sons, Ltd: Chichester :1236-1241, 2008.
34. Ding XM, Qian BZ, Matsuda J, Koura M, Sa XY, Shi ZK.. Genetic diversity of Mongolian gerbils (*Meriones unguiculatus*). . Hereditas (Beijing) 30(7):877-884, 2008.
35. Suzuki Y, Nanba E, Matsuda J, Higaki K, Oshima A..  $\beta$ -Galactosidase Deficiency ( $\beta$ -Galactosidosis): GM1 Gangliosidosis and Morquio B Disease. In The Online Metabolic & Molecular Bases of Inherited Disease.eds. Valle D et al. Part 16.. LYSOSOMAL DISORDERS, Chapter 151:1-101, 2008.
36. Yoshimatsu K. Studies in Natural Products Chemistry, Volume 34, Bioactive Natural Products (Part N) ed., Atta-ur-Rahman, Tissue culture of medicinal plants: micropropagation, transformation and production of useful secondary metabolites. Elsevier Science Publishers, Amsterdam :647-752, 2008.
37. Shakeel A, Jatoi, Dawood Ahmad, Khaing P. W. Hmon, Kiuchi F, Kazuo N. Watanabe. Zingiberaceae in Myanmar (Plant Genetic Resources Monograph Series 4). Mimatsu Corporation, Tokyo, 2008.
38. 合田幸広、竹田忠絃、木内文之、仲井由宣、佐々木博美、塙本秀己、佐々木博、加藤照和、新井一郎、秋葉秀一郎. 漢方製剤・生薬製剤・生薬用語の英語表記(第1集). 生薬学雑誌, 62 (2):79-90, 2008.
39. 合田幸広、竹田忠絃、木内文之、柴田敏郎、仲井由宣、佐々木博美、塙本秀己、佐々木博、加藤照和、新井一郎、秋葉秀一郎. 漢方製剤・生薬製剤・生薬用語の英語表記(第2集). 生薬学雑誌, 63 (1):10-23, 2009.
40. 木内文之. 医薬基盤研究所 薬用植物資源研究センター 木内文之センター長に聞く. 薬用植物研究, 30 (1):6-13, 2008.
41. 菱田敦之. 植物の宝庫 エチオピアの薬用植物. 薬用植物研究, 30 (2):9-15, 2008.
42. 浅間宏志、川原信夫、飯田修、木内文之、御影雅幸. 重要生薬に関する誌上討論 その1 マオウ属植物に関する話題. 薬用植物研究, 30 (2):58-63, 2008.
43. 清水佑也、唐松克夫、松原明弘、保富康宏. ワクチンアジュバントの開発. 日本臨床, 66:1915-1921, 2008.
44. 松原明弘、清水佑也、唐松克夫、保富康宏. 経口ワクチンの開発. 日本臨床, 66:1873-1878, 2008.
45. 辻村祐佑、加藤翔太、保富康宏. アレルギー性疾患に対するワクチン開発. PHARMASTAGE. 8:14-21, 2009.
46. Yasutomi Y. Chimeric recombinant hepatitis E virus-like particles presenting foreign epitopes as a novel vector of vaccine by oral administration. Holland, CR., and Miyamura, T. Eds. Structure-based study of viral replication. World Scientific :539-552, 2008.
47. 木村展之. 総説:加齢による軸索輸送の変化と神経変性. Dementia Japan.(日本認知症学会誌), 21 (3):270-278, 2007(発刊 2008).
48. 京野廣一、西中千佳子、京谷利彦、中條友紀子、石川孝之、藤井和博、大和田哲夫、羽鳥真功、山海直. 生殖細胞:卵巣保存、特集「産婦人科領域における細胞・組織の凍結保存」 産婦人科の実際 (金原出版), 57:1543-1548, 2008.