

平成21年度研究業績(論文・学会等発表)

論文発表(計192件)

(1)査読付論文(計138報)

1. Hirode M., Omura K., Kiyosawa N., Uehara T., Shimuzu T., Ono A., Miyagishima T., Nagao T., Ohno Y. and Urushidani T. Gene expression profiling in rat liver treated with various hepatotoxic-compounds inducing coagulopathy. *The Journal of Toxicological Sciences.* 34: 281-293, 2009.
2. Kondo C., Minowa Y., Uehara T., Okuno Y., Nakatsu N., Ono A., Maruyama T., Kato I., Yamate J., Yamada H., Ohno Y. and Urushidani T. Identification of genomic biomarkers for concurrent diagnosis of drug-induced renal tubular injury using a large-scale toxicogenomics database. *Toxicology.* 265: 15-26, 2009.
3. Uehara T., Ono A., Maruyama T., Kato I., Yamada H., Ohno Y., Urushidani T. The Japanese Toxicogenomics Project: Application of Toxicogenomics. *Molecular Nutrition and Food Research.* 54: 218-227, 2009.
4. Nagano K., Imai S., Mukai Y., Nakagawa S., Abe Y., Kamada H., Tsunoda S., Tsutsumi Y. Rapid isolation of intrabody candidates by using an optimized non-immune phage antibody library. *Pharmazie.* 64(4): 238-241, 2009.
5. Nishimori H., Kondoh M., Isoda K., Tsunoda S., Tsutsumi Y., Yagi K. Silica nanoparticles as hepatotoxicants. *Eur. J. Pharm. Biopharm.* 72(3): 496-501, 2009.
6. Nishimori H., Kondoh M., Isoda K., Tsunoda S., Tsutsumi Y., Yagi K. Influence of 70-nm silica particles in mice with cisplatin or paraquat-induced toxicity. *Pharmazie.* 64(6): 395-397, 2009.
7. Yoshikawa T., Sugita T., Mukai Y., Yamanada N., Nagano K., Nabeshi H., Shibata H., Yoshioka Y., Nakagawa S., Kamada H., Tsunoda S., Tsutsumi Y. The augmentation of intracellular delivery of peptide therapeutics by artificial protein transduction domains. *Biomaterials.* 30(19): 3318-3323, 2009.
8. Mukai Y., Nakamura T., Yoshioka Y., Shibata H., Abe Y., Nomura T., Taniai M., Ohta T., Nakagawa S., Tsunoda S., Kamada H., Yamagata Y., Tsutsumi Y. Fast binding kinetics and conserved 3D structure underlie the antagonistic activity of mutant TNF: useful information for designing artificial proteo-antagonists. *J. Biochem.* 146(2): 167-172, 2009.
9. Nishimori H., Kondoh M., Isoda K., Tsunoda S., Tsutsumi Y., Yagi K. Histological analysis of 70-nm silica particles-induced chronic toxicity in mice. *Eur. J. Pharm. Biopharm.* 72(3): 626-629, 2009.
10. Kayamuro H., Yoshioka Y., Abe Y., Katayama K., Yoshida T., Yamashita K., Yoshikawa T., Hiroi T., Itoh N., Kawai Y., Mayumi T., Kamada H., Tsunoda S., Tsutsumi Y. TNF superfamily member, TL1A, is a potential mucosal vaccine adjuvant. *Biochem. Biophys. Res. Commu.* 384(3): 296-300, 2009.
11. Nabeshi H., Yoshikawa T., Kamada H., Shibata H., Sugita T., Abe Y., Nagano K., Nomura T., Minowa K., Tsunoda S., Tsutsumi Y. Arsenic trioxide has the inhibitory effect on transmission of human T-cell leukemia virus type 1. *Biol. Pharm. Bull.* 32(7): 1286-1288, 2009.
12. Kayamuro H., Abe Y., Yoshioka Y., Katayama K., Yoshida T., Yamashita K., Yoshikawa T., Hiroi T., Itoh N., Kawai Y., Kamada H., Nagano K., Tsunoda S., Tsutsumi Y. The use of a mutant TNF-alpha as a vaccine adjuvant for the induction of mucosal immune responses. *Biomaterials.* 29: 5869-5876, 2009.
13. Nomura T., Abe Y., Kamada H., Inoue M., Kawara T., Arita S., Furuya T., Yoshioka Y., Shibata H., Kayamuro H., Yamashita T., Nagano K., Yoshikawa T., Mukai Y., Nakagawa S., Taniai M., Ohta T., Tsunoda S., Tsutsumi Y. Novel protein engineering strategy for creating highly receptor-selective mutant TNFs. *Biochem. Biophys. Res. Commun.* 388(4): 667-671, 2009.
14. Shibata H., Yoshioka Y., Abe Y., Ohkawa A., Nomura T., Minowa K., Mukai Y., Nakagawa S., Taniai M., Ohta T., Tsunoda S., Kamada H., Tsutsumi Y. The treatment of established murine collagen-induced arthritis with a TNFR1-selective antagonistic mutant TNF. *Biomaterials.* 30(34): 6638-6647, 2009.
15. Saeki R., Kondoh M., Kakutani H., Tsunoda S., Mochizuki Y., Hamakubo T., Tsutsumi Y., Horiguchi Y., Yagi K. A novel tumor-targeted therapy using a claudin-4-targeting molecule. *Mol. Pharmacol.* 76(4): 918-926, 2009.

16. Morishige T., Yoshioka Y., Inakura H., Watanabe H., Yao X., Tsunoda S., Tsutsumi Y., Mukai Y., Okada N., Nakagawa S. LIGHT protein suppresses tumor growth by augmentation of immune response. *Immunol. Lett.* 127(1): 33-38, 2009.
17. Morishige T., Yoshioka Y., Tanabe A., Yao X., Mizuguchi, H., Tsunoda S., Tsutsumi Y., Mukai Y., Okada N., Nakagawa S. Comparison of the anti-tumor activity of native, secreted, and membrane-bound LIGHT in mouse tumor models. *Int. Immunopharmacol.* 10(1): 26-33, 2010.
18. Yoshioka Y., Watanabe H., Morishige T., Yao X., Ikemizu S., Nagao C., Ahmad S., Mizuguchi K., Tsunoda S., Tsutsumi Y., Mukai Y., Okada N., Nakagawa S. Creation of lysine-deficient mutant lymphotoxin-alpha with receptor selectivity by using a phage display system. *Biomaterials.* 31(7): 1935-1943, 2010.
19. Schliemann C., Roesli C., Kamada H., Borgia B., Fugmann T., Klapper W., Neri D. In vivo biotinylation of the vasculature in B cell lymphoma identifies BST-2 as a target for antibody-based therapy. *Blood.* 115(3): 736-744, 2010.
20. Morishige T., Yoshioka Y., Tanabe A., Yao X., Tsunoda S., Tsutsumi Y., Mukai Y., Okada N., Nakagawa S. Titanium dioxide induces different levels of IL-1beta production dependent on its particle characteristics through caspase-1 activation mediated by reactive oxygen species and cathepsin B. *Biochem. Biophys. Res. Commun.* 392(2): 160-165, 2010.
21. Nomura T., Abe Y., Kamada H., Inoue M., Kawara T., Arita S., Furuya T., Minowa K., Yoshioka Y., Shibata H., Kayamuro H., Yamashita T., Nagano K., Yoshikawa T., Mukai Y., Nakagawa S., Tsunoda S., Tsutsumi Y. Creation of an improved mutant TNF with TNFR1-selectivity and antagonistic activity by phage display technology. *Pharmazie.* 65(2): 93-96, 2010.
22. Nabeshi H., Yoshikawa T., Matsuyama K., Nakazato Y., Arimori A., Isobe M., Tochigi S., Kondoh S., Hirai T., Akase T., Yamashita T., Yamashita K., Yoshida T., Nagano K., Abe Y., Yoshioka Y., Kamada H., Imazawa T., Itoh N., Tsunoda S., Tsutsumi Y. Size-dependent cytotoxic effects of amorphous silica nanoparticles on Langerhans cells. *Pharmazie.* 65(3): 199-201, 2010.
23. Shibata H., Abe Y., Yoshioka Y., Nomura T., Sato M., Kayamuro H., Kawara T., Arita S., Furuya T., Nagano K., Yoshikawa T., Kamada H., Tsunoda S., Tsutsumi Y. Generation of mouse macrophages expressing membrane-bound TNF variants with selectivity for TNFR1- or TNFR2. *Cytokine.* 50(1): 75-83, 2010.
24. Morishige T., Yoshioka Y., Inakura H., Tanabe A., Yao X., Tsunoda S., Tsutsumi Y., Mukai Y., Okada N., Nakagawa S. Creation of a LIGHT mutant with the capacity to evade the decoy receptor for cancer therapy. *Biomaterials.* 31(12): 3357-3363, 2010.
25. Morishige T., Yoshioka Y., Inakura H., Tanabe A., Yao X., Tsunoda S., Tsutsumi Y., Mukai Y., Okada N., Nakagawa S. Creation of a lysine-deficient LIGHT mutant with the capacity for site-specific PEGylation and low affinity for a decoy receptor. *Biochem. Biophys. Res. Commun.* 393(4): 888-893, 2010.
26. Muraoka M., Fukushima A., Viengchareun S., Lomb's M., Kishi F., Miyauchi A., Kanematsu M., Doi J., Kajimura J., Nakai R., Uebi T., Okamoto M., Takemori H. Involvement of SIK2/TORC2 signaling cascade in the regulation of insulin-induced PGC-1alpha and UCP-1 gene expression in brown adipocytes. *Am J Physiol Endocrinol Metab.* 296: E1430-1439, 2009.
27. Stenström K., Takemori H., Bianchi G., Katz AI., Bertorello AM. Blocking the salt-inducible kinase 1 network prevents the increases in cell sodium transport caused by a hypertension-linked mutation in human alpha-adducin. *J Hypertens.* 27: 2452-2457, 2009.
28. Andрабi M., Mizuguchi K., Sarai A. and Ahmad S. Prediction of mono- and di-nucleotide specific contacts in DNA-binding proteins using neural networks. *BMC Structural Biology.* : 9-30, 2009.
29. Singh H., Ahmad S. Context-dependent reference state of solvent accessibility derived from native protein structures and assessed by predictability analysis. *BMC Structural Biology.* : 9-25, 2009.
30. Spriggs VR., Murakami Y., Nakamura H., Jones S. Protein function annotation from sequence: prediction of residues interacting with RNA. *Bioinformatics.* 25(12): 1492-1497, 2009.
31. Morita M., Saito S., Ikeda K., Ohno K., Sugawara K., Suzuki T., Togawa T., Sakuraba H. Structural bases of GM1 gangliosidosis and Morquio B disease. *J Hum Genet.* 54(9): 510-515, 2009.
32. Furusawa H., Ozeki T., Morita M., Okahata Y. Added Mass Effect on Immobilizations of Proteins on a 27 MHz Quartz Crystal Microbalance in Aqueous Solution. *Anal Chem.* 81(6): 2268-2273, 2009.

33. Mondal S., Mizuguchi K. Structural insights into the enzyme mechanism of a new family of D-2-hydroxyacid dehydrogenases, a close homolog of 2-ketopantoate reductase. *Genome Informatics.* 23: 98-105, 2009.
34. Mori Y. and Sadaoka T. Varicella -zoster virus glycoprotein M. *Current Topics in Microbiology and Immunology.* Epub ahead of print: -, 2010.
35. Somboonthum P., Koshizuka T., Okamoto S., Matsuura M., Takahashi M., Yamanishi K., Mori Y. Rapid and efficient introduction of a foreign gene into bacterial artificial chromosome-cloned varicella vaccine by *Tn7*-mediated site-specific transposition. *Virology.* 402: 215-221, 2010.
36. Sadaoka T., Yanagi T., Yamanishi K., Mori Y. Characterization of the varicella-zoster virus ORF50 gene, which encodes glycoprotein M. *J.Virology.* 27 on January 2010 online published: -, .
37. Suenaga T., Satoh T., Somboonthum P., Kawaguchi Y., Mori Y., Arase H. Myelin-associated glycoprotein mediates membrane fusion and entry of neurotropic herpesviruses. *Proc. Natl. Acad. Sci. USA.* 107: 866-871, 2010.
38. Okamoto S., Hata A., Sadaoka K., Yamanishi K., Mori Y. Comparison of varicella-zoster virus-specific immunity of patients with diabetes mellitus and healthy individuals. *J. Infect. Dis.* 200: 1606-1610, 2009.
39. Kawabata A., Tang H., Huang H., Yamanishi K., Mori Y. Human herpesvirus 6 envelope components enriched in lipid rafts: evidence for virion-associated lipid rafts. *Virol. J.* 6: 127-, 2009.
40. Okamoto S., Matsuura M., Akagi T., Akashi M., Tanimoto T., Ishikawa T., Takahashi M., Yamanishi K., Mori Y. Poly- γ -glutamic acid nano-particles combined with mucosal influenza virus hemagglutinin vaccine protects against influenza virus infection in mice. *Vaccine.* 27: 5896-5905, 2009.
41. Mori Y. Recent topics related to human herpesvirus 6 cell tropism. *Cell. Microbiol.* 11: 1001-1006, 2009.
42. Takemoto M., Imasawa T., Yamanishi K., Mori Y. Role of dendritic cells infected with human herpesvirus 6 in virus transmission to CD4(+) T cells. *Virology.* 385: 294-302, 2009.
43. Kim A., Enomoto T., Serada S., Ueda Y., Takahashi T., Ripley B., Miyatake T., Fujita M., C M Lee, Morimoto K., Fujimoto M., Kimura T, and Naka T. Enhanced expression of Annexin A4 in clear cell carcinoma of the ovary and its association with chemoresistance to carboplatin. *Int J Cancer.* 15: 2316-2322, 2009.
44. Kimura A., Naka T., Nohara K., F-Kuriyama Y., Kishimoto T. Aryl hydrocarbon receptor in combination with Stat1 regulates LPS-induced inflammatory responses. *J Exp Med.* 31: 2027-2035, 2009.
45. Tanaka S., Yoshimoto T., Naka T., Nakae S., Iwakura Y., Cue D., Kubo M.. Natural Occurring IL-17 Producing T Cells Regulate the Initial Phase of Neutrophil Mediated Airway Responses. *J Immunol.* 183: 7523-7530, 2009.
46. Serada S., Fujimoto M., Ogata A., Terabe F., Hirano T., Iijima H., Shinzaki S., Nishikawa T., Ohkawara T., Iwahori K., Kishimoto T., Naka T., Proteomics-based identification of leucine rich alpha 2 glycoprotein (LRG) as a novel biomarker associated with disease activity of inflammatory autoimmune disorders. *Annals of the Rheumatic Diseases.* 69: 770-774, 2010.
47. Akita H., Kogure K., Moriguchi R., Nakamura Y., Higashi T., Nakamura T., Serada S., Fujimoto M., Naka T., Futaki S., Harashima H., Nanoparticles for ex vivo siRNA delivery to dendritic cells for cancer vaccines: Programmed endosomal escape and dissociation. *J Controlled Release.* 143: 311-7, 2010.
48. Ripley B., Fujimoto M., Serata S., Ohkawara T., Nishikawa T., Terabe F., Matsukawa Y., Stephanou A., Isenberg D., Latchman D., Kishimoto T., Naka T.. The green tea polyphenol EGCG inhibits cell signaling via the induction of SOCS-1 gene expression. *Int Immunol.* 22: 359-66, 2010.
49. Kouro T., Ikutani M., Kariyone A., & Takatsu K. Expression of IL-5Ralpha on B-1 cell progenitors in mouse fetal liver and involvement of Bruton's tyrosine kinase in their development. *Immunology letters.* 123(2): 169-178, 2009.
50. Kouro T., & Takatsu K. IL-5- and eosinophil-mediated inflammation: from discovery to therapy. *International Immunology.* 21(12): 1303-1309, 2009,Review.

51. Kakutani H., Kondoh M., Saeki R., Fujii M., Watanabe Y., Mizuguchi H., Yagi K. Claudin-4-targeting of diphtheria toxin fragment A using a C-terminal fragment of Clostridium perfringens enterotoxin. *Eur. J. Pharm. Biopharm.* 18: 213-217, 2010.
52. Akita H., Enoto K., Masuda T., Mizuguchi H., Tani T., Harashima H., Particle tracking of intracellular trafficking of octaarginine-modified liposomes: a comparative study with adenovirus. *Mol. Ther.* 18: 955-964, 2010.
53. Ushitora M., Sakurai F., Yamaguchi T., Nakamura S-I., Kondoh M., Yagi K., Kawabata K., Mizuguchi H., Prevention of hepatic ischemia-reperfusion injury by pre-administration of catalase-expressing adenovirus vectors. *J. Control. Release.* 142: 431-437, 2010.
54. Yashima S., Yoshizaki S., Shinoda K., Yoshida A., Kondo A., Mizuguchi H., Ryo A., Okuda K., Shimada M., Co-administration of viral vector-based vaccines suppresses antigen-specific effector CD8 T cells. *Vaccine.* 28: 3257-3264, 2010.
55. Watanabe Y., Kojima T., Kagawa S., Uno F., Hashimoto Y., Kyo S., Mizuguchi H., Tanaka N., Kawamura H., Ichimaru D., Urata Y., Fujiwara T., A novel translational approach for human malignant pleural mesothelioma: heparanase-assisted dual virotherapy. *Oncogene.* 29: 1145-1154, 2010.
56. Van Geer M.A., Brevoord D., Kuhlmann K.F., Bakker C.T., Mizuguchi H., Wesseling J.G., Ten Kate F.J., Gouma D.J., Oude Elferink R.P., Bosma P.J., A fiber modified adenovirus vector that targets to the EphrinA2 receptor reveals enhanced gene transfer to ex vivo pancreatic cancer. *Int. J. Oncol.* 36: 233-244, 2010.
57. Tashiro K., Inamura M., Kawabata K., Sakurai F., Yamanishi K., Hayakawa T., Mizuguchi H., Efficient adipocyte and osteoblast differentiation from mouse induced pluripotent stem cells by adenoviral transduction. *Stem Cells.* 27: 1802-1811, 2009.
58. Matsui H., Sakurai F., Kurachi S., Tashiro K., Sugio K., Kawabata K., Yamanishi K., Mizuguchi H., Development of fiber-substituted adenovirus vectors containing foreign peptides in the adenovirus serotype 35 fiber knob.. *Gene Ther.* 16: 1050-1057, 2009.
59. Kojima T., Hashimoto Y., Watanabe Y., Kagawa S., Uno F., Kuroda S., Tazawa H., Kyo S., Mizuguchi H., Urata Y., Tanaka N., Fujiwara T., A simple biological imaging system for detecting viable human circulating tumor cells. *J. Clin. Invest.* 119: 3172-3181, 2009.
60. Xin H., Sun R., Kanehira M., Takahata T., Itoh J., Mizuguchi H., Saijo Y., Intratracheal delivery of CX3CL1-expressing mesenchymal stem cells to multiple lung tumors. *Mol. Med.* 15: 321-317, 2009.
61. Yao X., Yoshioka Y., Morishige T., Eto Y., Watanabe H., Okada Y., Mizuguchi H., Mukai Y., Okada N., Nakagawa S., Systemic administration of a PEGylated adenovirus vector with a cancer-specific promoter is effective in a mouse model of metastasis. *Gene Ther.* 16: 1395-1404, 2009.
62. Van Geer M.A., Bakker C.T., Koizumi N., Mizuguchi H., Wesseling J.G., Oude Elferink R.P.J., Bosma P.J., Ephrin A2 receptor targeting does not increase adenoviral pancreatic cancer transduction in vivo. *World J. Gastroenterol.* 15: 2754-2762, 2009.
63. Terao S., Acharya B., Suzuki T., Aoi T., Naoe M., Hamada K., Mizuguchi H., Gotoh A., Improved gene transfer into renal carcinoma cells using adenovirus vector containing RGD motif. *Anticancer Res.* 29: 2997-3001, 2009.
64. Eto Y., Yoshioka Y., Asavatanabodee R., Kida S., Maeda M., Mukai Y., Mizuguchi H., Kawasaki K., Okada N., Nakagawa S., Transduction of adenovirus vectors modified with cell penetrating peptides. *Peptides.* 30: 1548-1552, 2009.
65. Kurihara Y., Watanabe Y., Onimatsu H., Kojima T., Shirota T., Hatori M., Liu D., Kyo S., Mizuguchi H., Urata Y., Shintani S., Fujiwara T., Telomerase-Specific Virotheranostics for Human Head and Neck Cancer. *Clin. Cancer Res.* 15: 2335-2343, 2009.
66. Sakurai F., Nakamura S-I., Akitomo K., Shibata H., Terao K., Kawabata K., Hayakawa T., Mizuguchi H., Adenovirus serotype 35 vector-mediated transduction following direct administration into organs of nonhuman primates. *Gene Ther.* 16: 297-302, 2009.
67. Abe S., Okuda K., Ura T., Kondo A., Yoshida A., Yoshizaki S., Mizuguchi H., Klinman D., Shimada M., Adenovirus type 5 with modified hexons induces robust transgene-specific immune responses in mice with pre-existing immunity against adenovirus type 5. *J. Gene Med.* 11: 570-579, 2009.

68. Tashiro K., Kondo A., Kawabata K., Sakurai H., Sakurai F., Yamanishi K., Hayakawa T., Mizuguchi H., Efficient osteoblast differentiation from mouse bone marrow stromal cells with polylysine-modified adenovirus vectors. *Biochem. Biophys. Res. Commun.* 379: 127-132, 2009.
69. Ura T., Yoshida A., Xin K-Q., Yoshizaki S., Yashima S., Abe S., Mizuguchi H., Okuda K., Designed recombinant adenovirus type 5 vector induced env-specific CD8+ cytotoxic T lymphocytes and cross-reactive neutralizing antibodies against human immunodeficiency virus type 1. *J. Gene Med.* 11: 139-149, 2009.
70. Huang H., Sakurai F., Higuchi Y., Kawakami S., Hashida M., Kawabata K., Hayakawa T., Mizuguchi H., Suppressive effects of sugar-modified cationic liposome/NF- κ B decoy complexes on adenovirus vector-induced innate immune responses. *J. Control. Release*. 133: 139-145, 2009.
71. Gao J-Q., Tsuda Y., Han M., Xu D-H., Kanagawa N., Hatanaka Y., Tani Y., Mizuguchi H., Tsutsumi Y., Mayumi T., Okada N., Nakagawa S., NK cells are migrated and indispensable in the anti-tumor activity induced by CCL27 gene therapy. *Cancer Immunol Immunother.* 58: 291-299, 2009.
72. Miyazaki K., Wakabayashi M., Hara Y., Ishida N. Tumor growth suppression in vivo by overexpression of the circadian component, PER2. *Genes to Cells*. 15: 351-358, 2010.
73. Yamamoto-Ishikawa K., Suzuki H., Nezu M., Kamiya N., Imamoto T., Komiya A., Sogawa K., Tomonaga T., Nomura F., Ichikawa T. The isolation and identification of apolipoprotein C-I in hormone-refractory prostate cancer using surface-enhanced laser desorption/ionization time-of-flight mass spectrometry. *Asian journal of andrology*. 11: 299-307, 2009.
74. Umemura H., Nezu M., Kodera Y., Satoh M., Kimura A., Tomonaga T., Nomura F. Effects of the time intervals between venipuncture and serum preparation for serum peptidome analysis by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. *Clin Chim Acta*. 406: 179-180, 2009.
75. Sawai S., Umemura H., Mori M., Satoh M., Hayakawa S., Kodera Y., Tomonaga T., Kuwabara S., Nomura F. Serum levels of complement C4 fragments correlate with disease activity in multiple sclerosis: Proteomic analysis. *Journal of neuroimmunology*, 2009.
76. Matsushita K., Tomonaga T., Kajiwara T., Shimada H., Itoga S., Hiwasa T., Kubo S., Ochiai T., Matsubara H., Nomura F. c-myc suppressor FBP-interacting repressor for cancer diagnosis and therapy. *Front Biosci*. 14: 3401-3408, 2009.
77. Hattori N., Oda S., Sadahiro T., Nakamura M., Abe R., Shinozaki K., Nomura F., Tomonaga T., Matsushita K., Kodera Y., Sogawa K., Satoh M, et al. YKL-40 identified by proteomic analysis as a biomarker of sepsis. *Shock*. 32: 393-400, 2009.
78. Guo WZ., Sugaya S., Satoh M., Tomonaga T., Nomura F., Hiwasa T., Takiguchi M., Kita K., Suzuki N. Nm23-H1 is responsible for SUMO-2-involved DNA synthesis induction after X-ray irradiation in human cells. *Archives of biochemistry and biophysics*. 486: 81-87, 2009.
79. Kume H., Murayama KS., Araki W. The two-hydrophobic domain tertiary structure of reticulon proteins is critical for modulation of beta-secretase BACE1. *J Neurosci Res.* 87(13): 2963-2972, 2009.
80. Kume H., Konishi Y., Murayama KS., Kametani F., Araki W. Expression of reticulon 3 in Alzheimer's disease brain. *Neuropathol Appl Neurobiol*. 35(2): 178-188, 2009.
81. Takahashi A., Obata Y., Fukumoto Y., Nakayama Y., Kasahara K., Kuga T., Higashiyama Y., Saito T., Yokoyama K., Yamaguchi N. Nuclear localization of Src-family tyrosine kinases is required for growth factor-induced euchromatinization. *Exp. Cell Res.* 315(7): 1117-1141, 2009.
82. Hayashi Y., Kusuda Furue M., Tanaka S., Hirose M., Wakisaka N., Danno H., Ohnuma K., Oeda S., Aihara Y., Shiota K., Ogura A., Ishiura S., and Asashima M. BMP4 induction of trophoblast from mouse embryonic stem cells in defined culture conditions on laminin. *In Vitro Cellular & Developmental Biology Animal*. : 1071-2690, 2009.12.24(Online).
83. 古江一楠田美保: 日本におけるヒト ES、iPS 細胞研究標準化: その 2 分化能の評価. *Tissue Culture Research Communications*. 28: 129-133, 2009.
84. Dirks WG., MacLeod RA., Nakamura Y., Kohara A., Reid Y., Milch H., Drexler HG., Mizusawa H., Cell line cross-contamination initiative: an interactive reference database of STR profiles covering common cancer cell lines. *Int J Cancer*. 126(1): 303-304, 2010.

85. Takeuchi M., Takeuchi K., Ozawa Y., Kohara A., Mizusawa H., Aneuploidy in immortalized human mesenchymal stem cells with non-random loss of chromosome 13 in culture. *In Vitro Cell Dev Biol Anim.* 45(5-6): 290-299, 2009.
86. The International Cancer Genome Consortium: Masui, T. as an International Data Access Committee. International network of cancer genome projects. *Nature.* 464(7291): 993-998, 2010.
87. N. Miura N., Komai M., Adachi Y., Osada N., Kameoka Y., Suzuki K., Ohno N. IL-10 Is a Negative Regulatory Factor of CAWS-Vasculitis in CBA/J Mice as Assessed by Comparison with Bruton's Tyrosine Kinase-Deficient CBA/N Mice. *J Immunol.* 183: 3417-3424, 2009.
88. Osada N., Hirata M., Tanuma R., Suzuki Y., Sugano S., Terao K., Kusuda J., Kameoka Y., Hashimoto K., Takahashi I. Collection of Macaca fascicularis cDNAs derived from bone marrow, kidney, liver, pancreas, spleen, and thymus. *BMC Res.Notes.* 2: 199-, 2009.
89. Higashino A., Osada N., Suto Y., Hirata M., Kameoka Y., Takahashi I., Terao K. Development of an integrative database with 499 novel microsatellite markers for Macaca fascicularis. *BMC Genetics.* 10: 24-, 2009.
90. Uno Y., Matsushita A., Osada N., Uehara S., Kohara S., Nagata R., Fukuzaki K., Utoh M., Murayama N., Yamazaki H. Genetic variants of CYP3A4 and CYP3A5 in cynomolgus and rhesus macaques. *Drug Metab. Dispos.* 38: 209-214, 2010.
91. Sawada T., Tanaka A., Higaki K., Takamura A., Nanba E., Seto T., Maeda M., Yamaguchi E., Matsuda J., Yamano T. Intracerebral cell transplantation therapy for murine GM1 gangliosidosis. *Brain Dev.* 31(10): 717-724, 2009.11.
92. Miyamoto Y., Myomoto A., Sakaguchi Y., Yamaguchi-Yamada M., Uchio-Yamada K., Manabe N. Localization of tissue transglutaminase (tTG) in kidney of ICR-derived Glomerulonephritis (ICGN) mice. *Exp. Anim.* 58(4): 375-382, 2009.7.
93. Takeda S., Sato N., Uchio-Yamada K., Sawada K., Kunieda T., Takeuchi D., Kurinami H., Shinohara M., Rakugi H., Morishita R. Elevation of Plasma β -amyloid Levels by Glucose Loading in Amyloid Precursor Protein Transgenic Mice. *Biochemical and Biophysical Research Communications* . 385(2): 193-197, 2009.7.
94. Suganami T., Yuan X., Shimoda Y., Uchio-Yamada K., Nakagawa N., Shirakawa I., Usami T., Tsukahara T., Nakayama K., Miyamoto Y., Yasuda K., Matsuda J., Kamei Y., Kitajima S., Ogawa Y. Activating Transcription Factor 3 Constitutes a Negative Feedback Mechanism That Attenuates Saturated Fatty Acid/Toll-Like Receptor 4 Signaling and Macrophage Activation in Obese Adipose Tissue. *Circ Res.* 105(1): 25-32, 2009.7.
95. Okado H., Ohtaka-Maruyama C., Sugitani Y., Fukuda Y., Ishida R., Hirai S., Miwa A., Takahashi A., Aoki K., Mochida K., Suzuki O., Honda T., Nakajima K., Ogawa M., Terashima T., Matsuda J., Kawano H., Kasai M. The transcriptional repressor RP58 is crucial for cell-division patterning and neuronal survival in the developing cortex. *Dev Biol.* . 331(2): 140-151, 2009.7.15.
96. Uchiyama N., Kikura-Hanajiri R., Kawahara N., Haishima Y. and Goda Y. Identification of a cannabinoid analog as a new type of designer drugs from an herbal product. *Chem. Pharm. Bull.* . 57 (4): 439-441, 2009.
97. Uchiyama N., Kikura-Hanajiri R., Kawahara N. and Goda Y.: Identification of a cannabimimetic indole as a designer drugs in a herbal product. *Forensic Toxicology.* 27: 61-66, 2009.
98. Nishimura K., Totsuka Y., Higuchi T., Kawahara N., Sugimura T., Wakabayashi K. Analysis of an ANA adduct formed from aminophenylnorharman. *Nucleic Acids Symposium Series.* 53: 211-212, 2009.
99. Alfarius E. Nugroho, Hirasawa Y., Kawahara N., Goda Y., Awang K., A. Hamid A. Hadi and Morita H.: Bisnicalaterine A, a Vobasine-Vobasine Bisindole Alkaloid from Hunteria zeylanica. *J. Nat. Prod.* . 72 (8): 1502-1506, 2009.
100. Shintani A., Ohtsuki T., Yamamoto Y., Hakamatsuka T., Kawahara N., Goda Y., Ishibashi M. Fuligoic acid, a new yellow pigment with a chlorinated polyene-pyrone acid structure isolated from the myxomycete *Fuligo septica* f. *flava*. *Tetrahedron Letters.* 50 (29): 3189-3190, 2009.
101. Hirasawa Y., Miyama S., Kawahara N., Goda Y., Rahman A., Ekasari W., Widayawaruyanti A, Indrayanto G, Noor Cholies Zaini, Morita H. Indole Alkaloids from the Leaves of *Alstonia scholaris*. *Heterocycles.* 79 (1): 1107-1112, 2009.

102. Terabayashi S., Sakai E., Yamaji H., Kondo K., Kawahara N., Goda Y. Authentication and Standardization of Botanical Origin and Morphology of Coix Fruit in the Japanese Pharmacopoeia. *The Journal of Japanese Botany.* 84 (2) : 77-84, 2009.
103. Fuchino H., Kawahara N., Kiuchi F. Examination of Component Determination Method for Perilla Herb and Stability of Perillaldehyde. *The Japanese Journal of Pharmacognosy.* 64 (1) : 7-14, 2010.
104. Yoshimatsu K., Kitazawa T., Kawano N., ida O., Kawahara N.: Characteristics of Cannabis Sativa L.: Seed morphology, germination and growth characteristics, and distinction from Hibiscus cannabinus L.. *Yakugaku Zasshi.* 129 (2): 237-246, 2010.
105. Maruyama T., Miyai M., Kamakura H., Nakajima I., Kawasaki T., Komatsu K., Fujita M., Yamamoto Y., Shibata T., Goda Y. The Authentication and the Purity Test of Eleutherococcus Senticosus Rhizome Based on the Genetic approach. *The Japanese Journal of Pharmacognosy.* 64 (1) : 15-20, 2010.
106. Anetai M., Sato M., Shibata T. Changes of Sugars and Dilute Ethanol-soluble Extract Contents upon Cold Treatment of Fresh Roots of Paenia lactiflora, Astragalus membranaceus and Saussurea lappa. *Pharmaceutical Regulatory Science.* 40 (8) : 497-504, 2009.
107. Anetai M., Sato M., Shibata T. Preparation and Chemical Evaluation of Angelicae Radix (Part VIII) Increase of Sucrose and Dilute Ethanol-soluble Extract Contents by Cold Treatment of Fresh Root of Angelica acutiloba var. sugiyamae. *Pharmaceutical Regulatory Science.* 40 (9) : 575-580, 2009.
108. Ishiuchi K., Kubota T., Hayashi S., Shibata T., Kobayashi J., Lycopladines F and G, new C16N2-type alkaloids with an additional C4N unit from Lycopodium complanatum. *Tetrahedron Lett.* 50: 4221-4224, 2009.
109. Ishiuchi K., Kubota T., Hayashi S., Shibata T., Kobayashi J., Lycopladine H, a novel alkaloid with fused-tetracyclic skeleton from Lycopodium complanatum. *Tetrahedron Lett.* 50: 6534-6536, 2009.
110. Kubota T., Yahata H., Yamamoto S., Hayashi S., Shibata T., Kobayashi J., Serratezomines D and E, new Lycopodium alkaloids from Lycopodium serratum var. serratum. *Bioorg. Med. Chem. Lett.* 19: 3577-3580, 2009.
111. Itoh H., Hayashi S., Nakajima T., Hayashi T., Yoshida H., Yamazaki K. and Komatsu T. Effects of Soil Type, Vertical Root Distribution and Precipitation on Grain Yield of Winter Wheat. *Plant Production Science.* 12: 503-513, 2009.
112. Sugimura K. Bryophyte specimens from Ibaraki Prefecture in the Makino Herbarium, Tokyo Metropolitan University. *Bulletin of Ibaraki Nature Museum.* 12: 51-66, pls.1-2, 2009.
113. Sugimura K., Okitsu S. Distribution of bryophyte, pteridophyte, and flowering plant species in relation to the micro-landform in the Cryptomeria japonica and Chamaecyparis obtusa plantations of Mt. Tsukuba, central Japan. *Vegetation Science.* 26: 33-48, 2009.
114. Sudo H., Seki H., Sakurai N., Suzuki H., Shibata D., Toyoda A., Totoki Y., Sakaki Y., Iid, O., Shibata T., Kojoma M., Muranaka T., Saito K., Expressed sequence tags from rhizomes of Glycyrrhiza uralensis. *Plant Biotechnology.* 26: 105-107, 2009.
115. Mori H., Yamanaka K., Matsuo K., Yasutomi Y. and Mizutani H. Administration of Ag85B showed therapeutic effects to Th2-type cytokine-mediated acute phase atopic dermatitis by inducing regulatory T cells. *Arch Dermatol.Res.* 301: 151-157, 2009.
116. Okabayashi S., Ohnao C. and Yasutomi Y. Acute megakaryocytic leukemia (AMKL)-like disease in a Cynomolgus monkey (*Macaca fascicularis*). *J.Comp.Pathol.* 140: 212-216, 2009.
117. Morioka T., Yamanaka K., Mori H., Omoto Y., Tokime K., Kakeda M., Kurokawa I., Gabazza E., Tsubura A., Yasutomi Y. and Mizutani H. IL-4/IL-13 antagonist DNA vaccination successfully suppresses Th2 type chronic dermatitis. *Br.J.Dermatol.* 160: 1172-1179, 2009.
118. Takano J.I., Tachibana H., Kato M., Narita T., Yanagi T., Yasutomi Y. and Fujimoto K. DNA characterization of simian Entamoeba histolytica-like strains to differentiate them from Entamoeba histolytica. *Parasitol.Res.* 105: 929-937, 2009.
119. Sankai T.(Review) Invitro manipulation of nonhuman primates gametes for the applicationto medical science research Primate Res. 24: 357-366, 2009 (in Japanese with English summary) 医科学への応用を目的としたサル類の発生工学的研究. 靈長類研究. 24: 357-366, 2009.
120. Sultana F., Hatori M., Shimoza N., Ebisawa T., Sankai T. Continuous observation of rabbit preimplantation embryos in vitro by using a culture device connected to a microscope. *Journal of the American Association for Laboratory Animal Science.* 48: 52-56, 2009.

121. Motohashi,H.H., Sankai T., Nariai K., Sato K. and Kada H. Effects of in vitro culture of mouse fetal gonads on subsequent ovarian development in vivo and oocyte maturation in vitro. *Hum. Cell.* 22: 43-48, 2009.
122. Masuda S., Ageyama N., Shibata H., Obara Y., Ikeda T., Takeuchi K., Ueda Y., Ozawa K., Hanazono Y. Co-transplantation with MSCs improves the engraftment of HSCs after autologous intra-bone marrow transplantation in non-human primates. *Experimental Hematology.* 37: 1250-1257, 2009.
123. Sato Y., Chin Y., Kato T., Tanaka Y., Tozuka Y., Mase M., Ageyama N., Ono F., Terao K., Yoshikawa Y., Hisatsune T. White matter activated glial cells produce BDNF in a stroke model of monkeys. *Neurosci Res.* 65: 71-78, 2009.
124. Ikeda Y., Yonemitsu Y., Miyazaki M., Kohno RI., Murakami Y., Murata T., Tabata T., Ueda Y., Ono F., Suzuki T., Ageyama N., Terao K., Hasegawa M., Sueishi K., Ishibashi T. Stable Retinal Gene Expression in Nonhuman Primates via Subretinal Injection of SIVagm-based Lentiviral Vectors. *Hum Gene Ther.* 20: 573-579, 2009.
125. Ikeda Y., Yonemitsu Y., Miyazaki M., Kohno RI., Murakami Y., Murata T., Goto Y., Tabata T., Ueda Y., Ono F., Suzuki T., Ageyama N., Terao K., Hasegawa M., Sueishi K., Ishibashi T. Acute Toxicity Study of a Simian Immunodeficiency Virus-based Lentiviral Vector for Retinal Gene Transfer in Nonhuman Primates. *Hum Gene Ther.* 20: 943-954, 2009.
126. Aizawa K., Ageyama N., Yokoyama C., Hisatsune T. Age-dependent alteration in hippocampal neurogenesis correlates with learning performance of macaque monkeys. *Experimental Animals.* 58: 403-407, 2009.
127. Kimura N., Inoue M., Okabayashi S., Ono F., Negishi T. Dynein dysfunction induces endocytic pathology accompanied by an increase in Rab GTPases: a potential mechanism underlying age-dependent endocytic dysfunction. *J. Biol. Chem.* 284(45): 31291-31302, 2009.
128. Suzuki H., Kidokoro M., Fofana BI., Ohashi T., Okamura T., Matsuo K., Yamamoto N., Shida H.. Immunogenicity of newly constructed attenuated vaccinia strain LC16m8 Δ that expresses SIV Gag Protein. *Vaccine.* 27(7): 966-971, 2009.
129. Yoshida T., Hanari K., Fujimoto K., Sankai T. Female reproduction characteristics in a large-scale breeding colony of cynomolgus monkeys (*Macaca fascicularis*). *Experimental Animals.* 59: 251-254, 2010.
130. Fujimoto K., Takano J., Narita T., Hanari K., Shimozawa N., Sankai T., Yoshida T., Terao K., Kurata T. and Yasutomi Y. Simian Retrovirus type D infection in a colony of cynomolgus monkeys. *Comp.Med.* 60: 51-53, 2010.
131. Shimozawa N., Nakamura S., Takahashi I., Hatori M., Sankai T. Characterization of a novel embryonic stem cell line from an intracytoplasmic sperm injection-derived blastocyst in the African green monkey. *Reproduction.* 139: 565-573, 2010.
132. Aizawa K., Ageyama N., Terao K., Hisatsune T. Primate-specific alterations in neural stem/progenitor cells in the aged hippocampus. *Neurobiol Aging.* 2010 Epub ahead of print: -, .
133. Tanaka Y., Ikeda T., Kishi Y., Masud S., Shibata H., Takeuchi K., Komur M., Iwanak T., Muramatsu S., Kondo Y., Takahashi K., Yamanaka S., Hanazono Y. ERas is expressed in primate embryonic stem cells but not related to tumorigenesis. *Cell Transplantion.* 18(4): 381-389, 2009.
134. Nohi T., Yuki Y., Katakai Y., Shibata H., Tokuhara D., Mejima M., Kurokawa S., Takahashi Y., Nakanishi U., Ono F., Mimuro H., Sasakawa C., Takaiwa F., Terao K., Kiyono H. A rice-based oral cholera vaccine induces macaque-specific systemic neutralizing Abs but does not influence pre-existing intestinal immunity. *J. Immunology.* 183: 6538-6544, 2009.
135. Iwamori M., Shibagaki T., Nakata Y., Adachi S., Nomura T. Distribution of receptor glycolipids for Lactobacilli in murine digestive tract and production of antibodies cross-reactive with them by immunization of rabbits with Lactobacilli. *J Biochemistry.* 146(2): 185-191, 2009.
136. Kodaira M., Ryo H., Kamada N., Furukawa K., Takahashi N., Nakajima H., Nomura T. and Nakamura N. No evidence of increased mutation rates at microsatellite loci in offspring of A-bomb survivors. *Radiation Research.* 173: 205-213, 2009.
137. Adachi S., Ryo H., Hongyo T., Nakajima H., Tsuboi-Kikuya R., Tokita Y., Matsuzuka F., Hiramatsu K., Fujikawa K., Itoh T., Nomura T. Effects of Fission Neutrons on Human Thyroid Tissues Maintained in SCID Mice. *Mutation Research.* 696: 107-113, 2010.

-
138. 野村大成, 梁治子, 足立成基, 時田偉子, 堀家なな緒, 中島裕夫, 本行忠志, 藤川和男, 伊藤哲夫, 落合俊昌, 行徳淳一郎, 桂洋介 宇宙環境の人体影響評価. *Space Utiliz Res.* 26: 249-251, 2010.
-

(2) 査読なし論文等(計54報)

1. Yoshikawa T., Nabeshi H., Matsuyama K., Nakazato Y., Imazawa T., Yoshioka Y., Abe Y., Kawai Y., Mayumi T., Itoh N., Tsunoda S., Tsutsumi Y. In vitro nanotoxicological study of silica nanoparticles using dermal cell lines. *Toxicol. Lett.*, 189S:S179-180, 2009. (Supplement).
2. Nabeshi H., Yoshikawa T., Matsuyama K., Nakazato Y., Imazawa T., Yoshioka Y., Abe Y., Kawai Y., Mayumi T., Itoh N., Tsunoda S., Tsutsumi Y. : Evaluation of size-dependent acute toxicity and toxicokinetics of amorphous nanosilicas. *Toxicol. Lett.*, 189S:S181-182, 2009. (Supplement).
3. Matsuyama K., Yoshikawa T., Nabeshi H., Nakazato Y., Imazawa T., Yoshioka Y., Abe Y., Kawai Y., Mayumi T., Itoh N., Tsunoda S., Tsutsumi Y. : Evaluation of size-dependent intracellular distribution and genotoxicity of amorphous nanosilicas in human keratinocytes. *Toxicol. Lett.*, 189S:S183-, 2009. (Supplement).
4. Nakazato Y., Yoshikawa T., Nabeshi H., Matsuyama K., Imazawa T., Yoshioka Y., Abe Y., Kawai Y., Mayumi T., Itoh N., Tsunoda S., Tsutsumi Y. Differential acute toxicity and toxicokinetics of amorphous nanosilicas: The role of surface physicochemical properties. *Toxicol. Lett.*, 189S:S183-, 2009. (Supplement).
5. Yoshida T., Yoshioka Y., Kayamuro H., Yamashita K., Higashisaka K., Nakanishi R., Abe Y., Itoh N., Tsunoda S., Tsutsumi Y. Urban aerosol directly stimulates antigen presentation cells in vitro and cause airway inflammation in vivo. *Toxicol. Lett.*, 189S:S176-177, 2009. (Supplement).
6. Yoshioka Y., Morishige T., Tanabe A., Tsutsumi Y., Mukai Y., Okada N., Nakagawa S. Nanosilicas with different sizes and surface charges induce different profiles of cytokine production on macrophages. *Toxicol. Lett.*, 189S:S182-, 2009. (Supplement).
7. Yagi K., Nishimori H., Kondoh M., Isoda K., Tsunoda S., Tsutsumi Y. Hepatotoxicity of silica nanoparticles in mice. *Toxicol. Lett.*, 189S:S184-, 2009. (Supplement).
8. Yamashita T., Utoguchi N., Nagano K., Okamura T., Abe Y., Kamada H., Tsunoda S., Tsutsumi Y. Development of an anti-tumor blood vessel specific antibody using phage antibody library. *Clin. Proteomics.*, 5S-1:55-C205, 2009. (Supplement).
9. Okamura T., Nagano K., Yamashita T., Abe Y., Kamada H., Tsunoda S., Tsutsumi Y. Identification of candidate proteins related to lymph node metastasis by antibody proteomics technology. *Clin. Proteomics.*, 5S-1:61-C231, 2009. (Supplement).
10. Nagano K., Okamura T., Yamashita T., Abe Y., Kamada H., Tsunoda S., Tsutsumi Y. Search for tumor-related biomarker proteins by antibody proteomics technology. *Clin. Proteomics.*, 5S-1:63-C238, 2009. (Supplement).
11. Abe Y., Nomura T., Kayamuro H., Yoshioka Y., Kamada H., Tsunoda S., Tsutsumi Y. Creation and X-ray structural analysis of TNFR1-selective mutant TNF with antagonistic activity. *Clin. Proteomics.*, 5S-1:207-S207, 2009. (Supplement).
12. Kayamuro H., Yoshioka Y., Abe Y., Arita S., Katayama K., Kamada H., Nomura T., Itoh N., Yoshikawa T., Nagano K., Tsunoda S., Tsutsumi Y. Characterization of mucosal and systemic immune responses elicited by interleukin cytokines as mucosal adjuvant against influenza virus. *Cytokine*, 48S(1-22):109-, 2009. (Supplement).
13. Abe Y., Kayamuro H., Yoshioka Y., Arita S., Katayama K., Kamada H., Nomura T., Itoh N., Yoshikawa T., Nagano K., Tsunoda S., Tsutsumi Y. Mast cells are required for interleukin-18 dependent mucosal immune responses. *Cytokine*, 48S(1-22):111-, 2009. (Supplement).
14. Yamashita K., Yoshioka Y., Kayamuro H., Yoshida T., Higashisaka K., Abe Y., Yoshikawa T., Itoh N., Tsunoda S., Tsutsumi Y. Cancer hazard of carbon nanotubes: size/shape-dependent induction of DNA damage and inflammation. *Cytokine*, 48S(1-22):55-, 2009. (Supplement).
15. Nomura T., Abe Y., Inoue M., Yoshioka Y., Kayamuro H., Mukai Y., Taniai M., Ohta T., Nakagawa S., Kamada H., Tsunoda S., Tsutsumi Y. TNFR1-selectivity improvement of mutant TNF with antagonistic activity. *Cytokine*, 48S(1-22):73-, 2009. (Supplement).
16. Nagano K., Yamashita T., Okamura T., Watanabe T., Kanasaki S., Abe Y., Kamada H., Tsunoda S., Tsutsumi Y. Frequent expression of TRAIL-R2 in human breast tumors revealed by antibody proteomics technology. *Cytokine*, 48S(1-22):54-55, 2009. (Supplement).

17. Kawara T., Abe Y., Kamada H., Nomura T., Kayamuro H., Tsunoda S., Kondoh M., Tsutsumi Y., Yagi K. Creation of mutant IFN-alpha8 with enhanced anti-HCV activity using phage display technique. *Cytokine*, 48S(1-22):58-, 2009. (Supplement).
18. Yoshioka Y., Watanabe H., Morishige T., Yao X., Ikemizu S., Nagao C., Ahmad S., Mizuguchi K., Tsutsumi Y., Mukai Y., Okada N., Nakagawa S Creation of lysine-deficient mutant lymphotoxin-alpha with receptor selectivity by using phage display. *Cytokine*, 48S(1-22):111-, 2009. (Supplement).
19. 角田慎一 癌治療最適化のための細胞内薬物ターゲティング技術の研究. Pharma VISION NEWS, 13:32-37, 2009.
20. Abe Y. Development of novel DDS technologies for optimized protein therapy by creating functional mutant proteins with antagonistic activity. *Yakugaku Zasshi*, 129(8):933-939, 2009.
21. 堤 康央 蛋白療法の最適化に叶う創薬基盤技術の開発とその評価. *Drug Delivery System*, 24(5):514-521, 2009.
22. 長野一也, 阿部康弘, 角田慎一, 堤 康央 プロテオーム解析とタンパク質 DDS の設計・評価. *Pharm Tech Japan*, 25(13):2612-2617, 2009.
23. 萱室裕之, 角田慎一, 堤 康央 新規粘膜アジュバントとしての機能性サイトカインの開発. *Drug Delivery System*, 25(1):22-28, 2010.
24. Nomura T., Kayamuro H., Tsunoda S. Development of a technology platform for novel drug discovery aimed at regulating biological function. (Overview) *Yakugaku Zasshi*, 130(1):43-44, 2010.
25. Kayamuro H., Yoshioka Y., Abe Y., Katayama K., Hiroi T., Tsunoda S., Tsutsumi Y. Application of bioactive mutant TNF alpha to a mucosal vaccine adjuvant. *Yakugaku Zasshi*, 130(1):55-61, 2010.
26. Nomura T., Abe Y., Yoshioka Y., Nakagawa S., Tsunoda S., Tsutsumi Y. Creation of TNFR1-selective antagonist, and its therapeutic effects. *Yakugaku Zasshi*, 130(1):63-68, 2010.
27. Nagano K., Nabeshi H., Tsunoda S. Forefront researches of drug innovation technology in the post-genomic era. (Overview) *Yakugaku Zasshi*, 13(4):487-449, 2010.
28. Nabeshi H., Yoshikawa T., Imazawa T., Tsunoda S., Tsutsumi Y. Evaluation of Biological Influence of Nano-materials using Toxicokinetics and Toxicoproteomics. *Yakugaku Zasshi*, 130(4):465-447, 2010.
29. Yamashita T., Utoguchi N., Suzuki R., Nagano K., Tsunoda S., Tsutsumi Y., Maruyama K. Development of anti-tumor blood vessel antibodies by phage display method. *Yakugaku Zasshi*, 130(4):479-485, 2010.
30. Abe Y., Tsunoda S., Tsutsumi Y. PEGylated tumor necrosis factor-alpha and its muteins. *Biodrug Delivery Systems*, Vol.194, New York, NY, Informa Healthcare:425-435, 2010.
31. 水口賢司 第6章 創薬バリューチェインのとりくみ 創薬バリューチェイン編 コンピューターで薬を創ろう、ケイ・ディー・ネオブック (京都), 2009.6.
32. 中村周吾, 森田瑞樹, 本野千恵 CASP8 会議参加報告, 生物物理, 49(3):151-152, 2009.
33. 腰塚哲朗、森 康子 組換え水痘ウイルスを用いた多価ワクチン開発の研究. *Drug Delivery System*, 24(6):592-598, 2009.
34. 木村彰宏, 仲哲治, 岸本忠 Th17 と関節炎. 炎症と免疫, 17(1):21-26, 2009.
35. 藤本穣, 川畑浩久, 仲哲治 IL-6 シグナル経路阻害による自己免疫疾患の治療. *Frontiers in Rheumatology & Clinical Immunology*, 3(1):33-40, 2009.
36. 大河原知治、藤本穣、仲哲治 IL-6 阻害による自己免疫性関節炎治療効果は Th17 抑制を介している. リウマチ科, 43(1):62-67, 2009.
37. 田代克久、稻村充、川端健二、水口裕之 遺伝子導入技術を利用した幹細胞の分化誘導法. 細胞培養研究, 28:135-143, 2009.
38. 水口裕之 組換えウイルスキャリアー遺伝子治療・ワクチン応用への新展開-. *Drug Delivery System*, 24:569-, 2009.
39. 櫻井文教、川端健二、水口裕之 遺伝子組換えウイルスの安全性向上に向けた遺伝子改変～microRNA による遺伝子発現制御システムを搭載した組換えウイルスの開発～. *Drug Delivery System*, 24:572-581, 2009.
40. 水口裕之、櫻井文教、川端健二 アデノウイルスベクターの DDS. *Pharm Tech Japan*, 25:2618-2624, 2009.
41. 水口裕之 アデノウイルスベクターの作製・増幅・精製法. 脳 2 1 , 12:246-251, 2009.
42. 古江一楠田美保、山田弘、水口裕之 iPS 細胞を活用した安全性・有効性評価系の構築. iPS 細胞の産業的応用技術 (シーエムシー出版) , :218-224, 2009.

-
43. 水口裕之 改良型アデノウイルスベクター開発の最前線. 脳 21, 12:123-131, 2009.
44. 古江一楠田美保 第5章細胞周辺環境のための培養技術 1 培養液, 「ますます重要になる細胞周辺環境（細胞ニッチ）の最新科学技術」—細胞の生存、増殖、機能のコントロールから創薬研究、再生医療まで—. 遺伝子医学 MOOK 別冊 メディカル ドゥ 2009, :330-333, 2009.
45. 川原信夫 最近の生薬行政の動向-生薬関連分野における第15改正日本薬局方第二追補の改正点を中心に-. 防菌防黴, 37 (9):667-675, 2009.
46. 伏見裕利, 酒井英二, 川原信夫 局方収載生薬の性状記載並びに新規収載候補鉱物生薬カッセキの基原及び構成鉱物種に関する調査研究. 医薬品研究, 40 (7):402-417, 2009.
47. 川原信夫他（分担執筆） 重要薬用植物に関する誌上討論 その2 マメ植物に関する話題. 薬用植物研究, 31 (1):76-88, 2009.
48. 川原信夫、菱田敦之他（分担執筆） 重要薬用植物に関する誌上討論 その3 キンポウゲ科植物に関する話題. 薬用植物研究, 31 (2):59-65, 2009.
49. 柴田敏郎 北海道の生薬3, 黄耆の栽培生産をめざして. 道薬誌, 2009-11:35-39, 2009.
50. 柴田敏郎 北海道の生薬4, 北海道におけるハトムギの生産. 道薬誌, 2009-12:7-11, 2009.
51. 柴田敏郎 北海道の生薬5, 苾薬の栽培と品質について. 道薬誌, 2010-2:15-19, 2010.
52. 柴田敏郎 誌上インタビュー その8（独）医薬基盤研究所 薬用植物資源研究センター北海道研究部 柴田敏郎研究リーダー（薬用植物栽培研究会副会長）に聞く. 薬用植物研究, 31 (2):6-13, 2009.
53. 菱田敦之 高収益農業におけるアフリカの薬用作物の可能性. 国際農林業協力, 32 (2):2-8, 2010.
54. 川原信夫、渕野裕之他（分担執筆） 医薬品各条（生薬等）に関する技術情報. 財団法人日本公定書協会編, 日本薬局方技術情報 2010, :141-194, 2010.
-